

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 7 1975

Returned to applicant for correction

Corrected application filed

Map filed NOV 7 1975

The applicant Carson City, Paul Lumos, Agent

1711 N. Roop Street, of Carson City

Street and No. or P.O. Box No.

City or Town

Nevada 89701, hereby make s application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground source within Carson City

Name of stream, lake or other source.

2. The amount of water applied for is 0.13 second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for municipal purposes

Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: a point in the SW 1/4 of

SE 1/4, Section 31, T.15N., R.20E., M.D.B.&M.; from which the South 1/4

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

corner of said Section 31 bears S 66° 13' 41" W 1035.52 feet.

it should be stated.

6. Place of use portion of S 1/4 SE 1/4, Section 31, T.15N., R.20E., M.D.B.&M.,

Describe by legal subdivision, if on unsurveyed land it should be so stated.

and N 1/4 NE 1/4, Section 6, T.14N., R.20E., M.D.B.&M.

7. Use will begin about January 1 and end about December 31, of each year.

Day and Month

Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well 6" diameter with grouted sanitary

seal to 50' depth cased and gravel packed to 150' depth with one 10

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes; or other conduits.

foot length of screen, 2 H.P. pump, 87 gal. pressure and storage

tank with related pipe and fittings.

9. Estimated cost of works..... \$7,000.00
10. Estimated time required to construct works..... 60 days
11. Estimated time required to complete the application to beneficial use..... 90 days
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Bids have been opened for the performance of the work needed to complete the well and equipment described. Time is of the essence in processing this application so that the work may proceed as soon as possible and application of the anticipated source to beneficial use may be accomplished

Applicant Carson City.....

By s/Paul Lumos
1711 N. Roop Street
Carson City, NV 89701

Compared.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The state retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.13 cubic feet per second but not to exceed 94.0 acre-feet annually.

- Actual construction work shall begin on or before August 5, 1976
- Proof of commencement of work shall be filed before September 5, 1976
- Work must be prosecuted with reasonable diligence and be completed on or before August 5, 1977
- Proof of completion of work shall be filed before September 5, 1977
- Application of water to beneficial use shall be made on or before August 5, 1979
- Proof of the application of water to beneficial use shall be filed on or before September 5, 1979
- Map in support of proof of beneficial use shall be filed on or before September 5, 1979

Commencement of work filed..... AUG 25 1976

Completion of work filed..... AUG 25 1976

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

Recorded..... Bk..... Page.....

..... County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 5th day of February

A.D. 1976

Roland D. Westergard
State Engineer