

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

AUG 13 1976

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... AUG 13 1976

The applicant Jack E. Jensen.....

1907 Ascot Dr......, of Moraga.....
Street and No. or P.O. Box No. City or Town

California 94556....., hereby make..... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is Underground Source.....
Name of stream, lake or other source.

2. The amount of water applied for is 0.25..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Commercial.....
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: within the SW¼ NW¼ of
Sec. 29, T.15N., R.20E., M.D.B.&M., at a point from which the West
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
¼ corner of Sec. 29 is S. 5 37' 09" W., a distance of 715.0 ft.
it should be stated.

6. Place of use within a portion of the SW¼ NW¼ of Sec. 29
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about 1 January..... and end about 31 December....., of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8 in. steel cased well with 2 hp
submersible electric pump and pressure tank
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$3,000
- 10. Estimated time required to construct works..... 60 days
- 11. Estimated time required to complete the application to beneficial use..... eighteen mos.
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicants/Jack E. Jensen.....

By.....

Compared. ns/ga..... lk/ga.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

FORFEITED

BULLING NO. B1/ letter
DATE DEC 04 2001

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed 0.25 cubic feet per second but not to exceed

0.365 million gallons annually.

Actual construction work shall begin on or before August 7, 1977

Proof of commencement of work shall be filed before September 7, 1977

Work must be prosecuted with reasonable diligence and be completed on or before August 7, 1978

Proof of completion of work shall be filed before September 7, 1978

Application of water to beneficial use shall be made on or before August 7, 1979

Proof of the application of water to beneficial use shall be filed on or before September 7, 1979

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed. SEP 26 1977
 Completion of work filed. MAR 24 1978
 Proof of beneficial use filed. OCT 24 1979
 Cultural map filed.
 Certificate No. 9879 Issued. MAR 11 1982
 Recorded. Bk. 33 Page.
 County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 7th day of February

A.D. 1977

[Signature of Roland D. Westergard]
State Engineer