

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

AUG 31 1976

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed..... Map filed Sept. 9, 1976
Under 30609

The applicant Carson City.....

1711 N. Roop St. of Carson City
Street and No. or P.O. Box No. City or Town

Nevada 89701, hereby make.s. application for permission to change the
State and Zip Code No.

..... point of diversion of a portion.....

of water heretofore appropriated under Permit No. 25667.....

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is..... Underground.....
Name of stream, lake or other source.

2. The amount of water to be changed..... 0.975 cfs.....
Second feet, acre feet.

3. The water to be used for..... (No change).....
If for stock state number and kind of animals.

4. The water heretofore used for..... Municipal.....
If for stock state number and kind of animals.

5. The water is to be diverted at the following point..... within the NE 1/4 NE 1/4 Section 18,
T.15N., R.20E., M.D.B.&M., from which the NE corner of said
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be
Section 18 lies N. 11° 33' 49" E. a distance of 637.80 feet.
stated.

6. The existing point of diversion is located within..... SE 1/4 SE 1/4 Section 7, T.15N., R.20E.,
M.D.B.&M., at a point from which the SE corner of said Section 7
If point of diversion is not changed, do not answer.
bears S. 42° 00' 52" E., 1684.12 feet.

7. Proposed place of use is Sections 2, 3, 4, 5, 6, 7, 8, 9, 10, N 1/2 11, 15,
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
16, 17, 18, E 1/2 19, 20, 21, 28, 29, E 1/2 30, E 1/2 31, 32, W 1/2 33, T.15N.,
R.20E., M.D.B.&M.; Sections E 1/2 1 and 12 in T.15N., R.19E., M.D.B.&M.;
Sections S 1/2 31, S 1/2 32, 33, & W 1/2 34, in T.16N., R.20E., M.D.B.&M.

8. Existing place of use..... is within Sections 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,
Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.
15, 16, 17, 18, 19, 20, 21, & 22 all in T.15N., R.20E., M.D.B.&M.;
and SE 1/2 of Section 12, T.15N., R.19E., M.D.B.&M.

9. Use will be from..... No change..... to..... of each year.
Day and Month Day and Month

10. Use has been from..... January 1st..... to..... December 31..... of each year.
Day and Month Day and Month

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... Drilled well, pump, motor
State manner in which water is to be diverted, whether by dam or other works,
and transmission lines to municipal system
whether through pipes, ditches, flumes, or other conduits.

STATE ENGINEER
NEVADA
CARRINGTON

- 12. Estimated cost of works.....\$75,000.00.....
- 13. Estimated time required to construct works.....One (1) year.....
- 14. Estimated time required to complete the application of water to beneficial use.....Ten (10) years.....
- 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Compared.....lp/ns.....lk/ga..... Applicant.....Carson City.....

By.....s/Paul Lumos.....
1711 N. Roop St.
Carson City, NV 89701

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 25667 is issued subject to the terms and conditions imposed in said Permit 25667 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.975.....cubic feet per second.....

- Actual construction work shall begin on or before..... July 18, 1977
- Proof of commencement of work shall be filed before..... August 18, 1977
- Work must be prosecuted with reasonable diligence and be completed on or before..... July 18, 1978
- Proof of completion of work shall be filed before..... August 18, 1978
- Application of water to beneficial use shall be made on or before..... July 18, 1981
- Proof of the application of water to beneficial use shall be filed on or before..... August 18, 1981
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD.....
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this.....18th.....day of.....January.....
 Cultural map filed.....
 Certificate No..... Issued..... A.D. 19.....77.....
 Recorded..... Bk..... Page.....

[Signature of Roland D. Westergard]
State Engineer

2407 WITHDRAWN BY APPLICANT JUL 21 1977
[Signature of Roland D. Westergard]
STATE ENGINEER