

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 10 1977
Returned to applicant for correction JUL 22 1977
Corrected application filed AUG 18 1977
Map filed MAY 10 1977

The applicant George N. Wienholz Jr., Ana E. Wienholz & Leane Yee
17 Westwood Drive, of San Rafael, California 94901
hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) George N. Wienholz, Ana E. Wienholz & Leane Yee, Local Address: 1095 Dunbar Drive, New Washoe City, Carson City, Nevada 89701

- 1. The source of the proposed appropriation is underground.
2. The amount of water applied for is 0.15 second-feet
3. The water to be used for Quasi-Municipal
4. If use is for: (a) Irrigation (state number of acres to be irrigated) N/A
(b) Stockwater (state number and kinds of animals to be watered) N/A
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power: (1) Horsepower developed N/A (2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point: A point in which the North-west corner of section 30, T.17N., R.20E., MDB&M, bears N. 59° 53' 31" W., a distance of 488.25 feet, NW 1/4 NW 1/4 Sec. 30, T.17N., R.20E.

6. Place of use A portion of the NW 1/4 NW 1/4 of section 30, T.17N., R.20E., MDB&M, Washoe County, Nevada.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" Well, Pump, pipes and pressure storage tanks.

- 9. Estimated cost of works..... \$4,000.00
- 10. Estimated time required to construct works..... One (1) Year
- 11. Estimated time required to complete the application to beneficial use..... Three (3) Years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
150 gallons per hour, 8 hours per day, 7 days per week.

Applicant s/ Leane Yee, George N. Wienholz
Ana E. Wienholz
By s/ Frank W. Gety Jr.

Compared lp/ga jv/bl

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed .15 cubic feet per second, but not to exceed .55 million gallons annually.

- Actual construction work shall begin on or before..... February 11, 1979.
- Proof of commencement of work shall be filed before..... March 11, 1979
- Work must be prosecuted with reasonable diligence and be completed on or before..... February 11, 1980.
- Proof of completion of work shall be filed before..... March 11, 1980
- Application of water to beneficial use shall be made on or before..... February 11, 1981
- Proof of the application of water to beneficial use shall be filed on or before..... March 11, 1981
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... MAR 15 1979
Completion of work filed..... MAR 18 1980
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No..... Issued.....
Recorded..... Bk..... Page.....

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 11th day of AUGUST

A.D. 19 78

Robert D. Westergard
State Engineer

CANCELLED
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF FAILURE OF PERMIT
Peter L. Morrow