

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 5 1977
Returned to applicant for correction DEC 15 1977
Corrected application filed JAN 9 1978
Map filed SEP 16 1977

The applicant Ladd Enterprises (G.G. Gressman)

70 Linden St., Suite 6, of Reno, Nevada 89502
Street and No. or P.O. Box No. City or Town
State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.

2. The amount of water applied for is 3.33 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for mining and milling
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered) Placer operation-the plant will use

(c) Other use (describe fully under "No. 12. Remarks") 1500 gals, per min. 8 hrs. per day.

1/2 of the 1500 will be used by recirculating the water from the holding pond

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SW 1/4 NE 1/4 section 4, T.4N., R.33E. M.D.B. & M., or at a point from which the NW corner of section 4 bears N. 51° 30' W. - 4241.58 ft. Amended to New Map - Range 33 & 34E. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use SW 1/4 NE 1/4 section 4, T.4N., R.33E., M.D.B. & M. Amended to New Map - Range 33 & 34E. Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year. Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well motor and pump - with small holding pond to recirculate the water State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$10,000.00
- 10. Estimated time required to construct works..... 5 years
- 11. Estimated time required to complete the application to beneficial use..... 5 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Placer operation - the plant will use 1500 gallons per minute 8 hours per day - 1/3 of the 1500 will be used by recirculating the water from the hold pond. Amended to New Map - Range 33 & 34E.

Applicant.....

By S/G.G. Gressman  
 Ladd Enterprises, Inc. G.G. Gressman  
 70 Linden St., Suite 6  
 Reno, Nevada 89502

Compared..... bc/ga..... bt/gk.....

..... APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 3.33..... cubic feet per second, but not to exceed..... 131.4 million gallons annually.....


- Actual construction work shall begin on or before..... N/A
- Proof of commencement of work shall be filed before..... N/A
- Work must be prosecuted with reasonable diligence and be completed on or before..... September 21, 1983
- Proof of completion of work shall be filed before..... October 21, 1983
- Application of water to beneficial use shall be made on or before..... September 21, 1986
- Proof of the application of water to beneficial use shall be filed on or before..... October 21, 1986
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I..... PETER G. MORROS.....  
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of  
 Proof of beneficial use filed..... my office, this..... 21st..... day of..... SEPTEMBER.....

Certificate No..... Issued.....

A.D. 19 81  
  
 State Engineer

Recorded..... Bk..... Page.....  
 CANCELLED..... DEC 30 1983..... BECAUSE OF FAILURE  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
 County Recorder

 STATE ENGINEER BR