

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 21 1977

Returned to applicant for correction

Corrected application filed AUG 24 1977

Map filed under 32884

The applicant R.O. Nevada Inc.

P.O. Box 3575, of Reno, Nevada

89505, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

(If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Incorporated in the State of Nevada on April 19, 1976.

1. The source of the proposed appropriation is Underground well No. 4

2. The amount of water applied for is 0.5 c.f.s. second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-municipal and Domestic

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SW 1/4 SW 1/4 Sec. 35, T.19N.,

R.19E., MDB&M, or at a point from which the Southwest corner of

said Section 35 bears South 8° 28' 33" West, 1017.01 feet.

6. Place of use Portion of the South 1/2, and a portion of SE 1/4 NE 1/4 of

Section 35, T.19N., R.19E., MDB&M.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, pump motor, pressure tank, distribution system.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$20,000.....
- 10. Estimated time required to construct works..... 2 years.....
- 11. Estimated time required to complete the application to beneficial use..... 7 years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

..... Proposed water system is to serve approximately 150 dwelling
 unit plus landscaping.....

Applicant.....

By s/ Eugene B. Longfield.....
 137 Vassar St.
 Reno, Nev. 89502

Compared..... lp/ga..... bl/bc.....

..... APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

No perforations shall be put in the casing until after the well is completed and the log available for study. Perforations shall not start less than 100 feet from the surface unless the log shows a satisfactory confining formation nearer the surface.

The total combined duty of water under this permit and Permits 32884, 32885 and 32886 shall not exceed 54.75 million gallons annually. Use of the water under Permits 32884, 32885, 32886 and 32887 is limited to the SW1/4 SW1/4 Section 35, T.19N., R.19E., M.D.B.&M.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... .5..... cubic feet per second, but not to exceed
 54.75 million gallons annually.....

- Actual construction work shall begin on or before..... March 7, 1979
- Proof of commencement of work shall be filed before..... April 7, 1979
- Work must be prosecuted with reasonable diligence and be completed on or before..... March 7, 1980
- Proof of completion of work shall be filed before..... April 7, 1980
- Application of water to beneficial use shall be made on or before..... March 7, 1983
- Proof of the application of water to beneficial use shall be filed on or before..... April 7, 1983
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... JAN 29 1980
 Completion of work filed.....
 Proof of beneficial use filed.....
 Cultural map filed.....
 Certificate No..... Issued.....
 Recorded..... Bk..... Page.....
 County Recorder

IN TESTIMONY WHEREOF, I..... ROLAND D. WESTERGARD
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this..... 7th..... day of..... SEPTEMBER.....

A.D. 19..... 78.....

[Signature]
 State Engineer