

~~AMENDED~~  
APPLICATION FOR PERMIT

N<sup>o</sup> 33058

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... ~~AUG 8 1977~~ New Priority Date DEC 5 1985  
Returned to applicant for correction..... JAN 24 1978  
Corrected application filed..... FEB 9 1978  
Map filed..... AUG 8 1977

The applicant..... Coaldale Inn, Inc.

....., of Coaldale, NV via  
Street and No. or P.O. Box No. City or Town

Tonopah, NV 89049

....., hereby make... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

Incorporated April 30, 1962, Coaldale, NV

1. The source of the proposed appropriation is..... underground'  
Name of stream, lake or other source.

2. The amount of water applied for is..... 0.50..... second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... Quasi-municipal  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: SW<sup>1</sup>/<sub>4</sub> NE<sup>1</sup>/<sub>4</sub>, sec. 20, T.2N., R.38E.,

M.D.B. & M. (unsurveyed) or at a point from which the NE corner of section 24,

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

T.2N., R.37E. bears N 79° 46' 17" W. - 8431.56 feet

it should be stated.

6. Place of use..... NE<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>, W<sup>1</sup>/<sub>2</sub> SE<sup>1</sup>/<sub>4</sub> Sec 17 T2N R37E  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.  
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... Drilled well, motor and pump - 31593.95

ft of pipeline, 70,000 gallon tank

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works ..... \$60,000.00
- 10. Estimated time required to construct works ..... 45 days
- 11. Estimated time required to complete the application to beneficial use ..... 45 days
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Service station and truck stop, bar, restaurant, 17 unit motel, three,  
two bedroom homes and fifteen mobile homes

Applicant..... Coaldale Inn Inc.

By..... s/J. V. Caselli Agent  
P.O. Box 201  
Goldfield, Nev - 89013

Compared..... bc/ga ..... ja/dr

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.50 cubic feet per second, but not to exceed 4.398 million gallons annually.

- Actual construction work shall begin on or before..... June 18, 1980
- Proof of commencement of work shall be filed before..... July 18, 1980
- Work must be prosecuted with reasonable diligence and be completed on or before..... June 18, 1981
- Proof of completion of work shall be filed before..... July 18, 1981
- Application of water to beneficial use shall be made on or before..... June 18, 1984
- Proof of the application of water to beneficial use shall be filed on or before..... June 18, 1984
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... AUG 18 1980  
 Completion of work filed..... NOV 13 1981  
 Proof of beneficial use filed..... JAN 13 1988  
 Cultural map filed.....  
 Certificate No. 12744 Issued..... MAR 29 1991  
 Recorded..... Bk..... Page.....  
 County Recorder

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN  
 State Engineer of Nevada, have hereunto set my hand and the seal of  
 my office, this 18th day of DECEMBER  
 A.D. 1979

*William J. Newman*  
 State Engineer

~~CANCELLED~~ OCT 08 1985  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
*Peter H. Morris* *conciliation reviewed*  
 1-21-86