

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... AUG 9 1977

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... AUG 9 1977

The applicant..... Gardnerville Town Water Co.

..... 200 S. Main St. (P.O. Box 63), of..... Gardnerville,
Street and No. or P.O. Box No. City or Town

..... Nevada 89410, hereby make a application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... Underground (Well),
Name of stream, lake or other source.

2. The amount of water applied for is..... Five, second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... Municipal and Domestic,
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 32, T. 13N., R. 20E., M.D.B. & M., Douglas County, Nevada, from which the
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
south quarter corner of said Section 32 bears S76° 48' 40" W, 2,280 feet.
it should be stated.

6. Place of use Portions of: E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$ and SE $\frac{1}{4}$ of Section 32; the SW $\frac{1}{4}$ of
Describe by legal subdivision, if on unsurveyed land it should be so stated.
Section 33; all in T. 13N., R. 20E.; and the N $\frac{1}{2}$ of Section 4, T. 12N., R. 20E., M.D.B. & M.; all said portions lying within the boundaries of the Town of Gardnerville, Nevada.

7. Use will begin about..... Jan. 1 and end about Dec. 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, electric turbine, pressure tank, and connection to distribution network of Gardnerville.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works.....\$20,000.....
- 10. Estimated time required to construct works.....One Year.....
- 11. Estimated time required to complete the application to beneficial use.....Two Years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicant...Gardnerville Town Water Co...

By s/ Robert C. Downer
 Robert C. Downer, State Water Right Surv
 P.O. Box 608 #314
 Gardnerville, Nevada 89410

Compared 1m/ga bl/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

No perforations shall be put in the casing until after the well is completed and the log available for study. Perforations shall not start less than 100 feet from the surface unless the log shows a satisfactory confining formation nearer the surface.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 5.0 cubic feet per second.....

- Actual construction work shall begin on or before..... June 14, 1978.....
- Proof of commencement of work shall be filed before..... July 14, 1978.....
- Work must be prosecuted with reasonable diligence and be completed on or before..... June 14, 1979.....
- Proof of completion of work shall be filed before..... July 14, 1979.....
- Application of water to beneficial use shall be made on or before..... June 14, 1982.....
- Proof of the application of water to beneficial use shall be filed on or before..... July 14, 1982.....
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed... JUL 18 1978
 Completion of work filed... JUL 18 1980
 Proof of beneficial use filed... APR 12 1984
 Cultural map filed.....
 Certificate No. 16973 Issued JUL 24 1984
 Recorded..... Bk. 37 Page.....
 County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 14th day of DECEMBER

A.D. 1977

Robert D. Westergard
 State Engineer