

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 16 1977

Returned to applicant for correction

Corrected application filed

Map filed Nov. 3, 1971 under 26333

The applicant Juliea M. Ness
1713 Cochran Street, of Las Vegas,
Street and No. or P.O. Box No. City or Town
Nevada 89104, hereby make... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground water source in Pahrump
Name of stream, lake or other source.

2. The amount of water applied for is 1 cfs second-foot
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Commercial Purposes & Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: within the SW¼ NW¼ Section 24, Township 20 South, Range 53 East, MDM, said point bears N 58° 01' 27" E a distance of 1290.27 feet from the W¼ Section Corner of Section 24, T20S, R53E, MDM, Nye County, Nevada.
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use 8.486 acres situated in the SW¼ NW¼ of Sec. 24, T20S, R53E, MDM,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
as shown on the map to appropriate water.

7. Use will begin about January 1 and end about December 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Submersible pump, pressure tank and pipelines.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$7,500.00

10. Estimated time required to construct works 5 years

11. Estimated time required to complete the application to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

There is no potable public water service in Pahrump Valley. The nearest public water utility service is located in Las Vegas some sixty miles easterly. The water appropriated will be used to serve an estimated (11) miscellaneous dry good stores (1000 to 3000 sq. ft. each); (1) medical-dental clinic, approx. 2000 sq. ft. each; (1) veterinarian office, approx. 1000 sq. ft.; (1) mobile home sales yard, approx, 6 trailers on display; (3) professional or commercial offices, approx. 625 sq. ft. each; (1) dry cleaning plant, approx. 1000 sq. ft.; (1) bakery, approx. 1000 sq. ft.; (1) coffee shop, approx. 1000 sq. ft.; and (1) small casino, approx. 2000 sq. ft. and trailers. (use map filed under Application 26333.)

Applicants/Juliea M. Ness
Juliea M. Ness

By/s/Juliea M. Ness
1713 Cochran St.
Las Vegas, Nevada 89104

Compared b1/bc b1/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed

5.689 million gallons annually.

Actual construction work shall begin on or before January 14, 1979

Proof of commencement of work shall be filed before February 14, 1979

Work must be prosecuted with reasonable diligence and be completed on or before January 14, 1980

Proof of completion of work shall be filed before February 14, 1980

Application of water to beneficial use shall be made on or before January 14, 1982

Proof of the application of water to beneficial use shall be filed on or before February 14, 1982

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed MAR 7 1979
Completion of work filed MAR 7 1979
Proof of beneficial use filed
Cultural map filed
Certificate No. Issued
Recorded Bk Page
County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 14th day of JULY

A.D. 19 78
Roland D. Westergard
State Engineer