AMENDED

No 34808

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office DEC 29 1977

Returned to applicant for correction MAY 5 1978

Corrected application filed JUL 5 1978

Map filed JUL 5 1978 under 34806

The applicant Nevada Children's Foundation, Inc. dba Eagle Valley Children's Home
Post Office Box 2539 (Street and No. or P.O. Box No.), of Reno (City or Town),
Nevada 89505 (State and Zip Code No.), hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Date of incorporation: 9/10/46, incorporated in Nevada.

1. The source of the proposed appropriation is Well #1 (Name of stream, lake or other source.)

2. The amount of water applied for is 1.7 second-feet (One second-foot equals 448.83 gals. per min.)

   (a) If stored in reservoir give number of acre-feet ..... acre-feet

3. The water to be used for Quasi-Municipal Purposes (Irrigation, power, mining, manufacturing, domestic, or other use.)

4. If use is for:

   (a) Irrigation (state number of acres to be irrigated) .....

   (b) Stockwater (state number and kinds of animals to be watered) .....

   (c) Other use (describe fully under "No. 12. Remarks") .....

   (d) Power:

      (1) Horsepower developed .....

      (2) Point of return of water to stream .....

5. The water is to be diverted from its source at the following point: S½ Lot 1 of the SW¼ Section 31, T16N, R20E, MDB&M or at a point from which the NW corner of section 6, T15N, R20E, MDB&M bears S 17° 49' E, 856 feet.
   (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.)

6. Place of use portions of the N½SE¼ and the SE¼SE¼ of section 36, T16N, R19E, MDB&M, and the S½ of Lot 1 of the SW¼ and the S½ of Lot 2 of the SW¼ of section 31, T16N, R20E, MDB&M, Carson City, Nevada as shown on the supporting map.
   (Describe by legal subdivision, if on unsurveyed land it should be so stated.)

7. Use will begin about January 1 (Day and Month) and end about December 31 (Day and Month), of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well pump, motor, storage tanks, and distribution system.
   (State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.)

34808

9. Estimated cost of works $3,000

10. Estimated time required to construct works constructed

11. Estimated time required to complete the application to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Estimated total use 7 million gallons per year. Present uses include a 15 bed facility with 22 employees, approximately 2 acres of trees, lawn and landscaped area. Proposed uses include expansion to provide 60 to 90 beds, a pool and expanded outside landscaping. Water from well is comingled with spring when available and pumped to tanks on hill for domestic and fire storage. Diversion rate is based on 750 gpm fire flow.

Applicant Nevada Children's Foundation, Inc.
dba Eagle Valley Children's Home

By s/ Bruce R. Scott
Resource Concepts
2989 Highway 50 East
Carson City, Nevada 89701

Compared lp/ga bl/jv

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total duty of water under this permit and Permit 34806 shall not exceed 7.0 million gallons per annum.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.7 cubic feet per second, but not to exceed 7.0 million gallons annually.

Actual construction work shall begin on or before May 28, 1979

Proof of commencement of work shall be filed before June 28, 1979

Work must be prosecuted with reasonable diligence and be completed on or before May 28, 1980

Proof of completion of work shall be filed before June 28, 1980

Application of water to beneficial use shall be made on or before May 28, 1982

Proof of the application of water to beneficial use shall be filed on or before June 28, 1982

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed APR 9 1979
Completion of work filed JUL 2 1 1981
Proof of beneficial use filed
Cultural map filed
Certificate No. Issued
Recorded Bk. Page
County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 28th day of NOVEMBER, A.D. 1978

State Engineer

218 (Rev.)