

CORRECTED PERMIT

ASSIGNED

No 34825
ASSIGNED

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JAN 3 1978
 Returned to applicant for correction..... DEC 15 1978
 Corrected application filed..... FEB 9 1979
 Map filed..... FEB 9 1979

The applicant..... Fred G. Manha, as to an undivided 60% interest and Jose A. Manha, Jr. as to an undivided 40% interest
 P.O. Box 7632....., of..... Reno
 Street and No. or P.O. Box No. City or Town
 Nevada 89512....., hereby make..... application for permission to appropriate the public
 State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... underground
 Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... 2.5..... second-feet
 One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... quasi-municipal and domestic
 Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:.....

(b) Stockwater, state number and kinds of animals to be watered:.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: from which the 1/4 corner common
 Describe as being within a 40-acre subdivision of public
 to sections 17 & 20 T19N, R21E, MDM, bears S29° 29' W 658 feet. SW 1/4 SE 1/4 Sec 17
 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
 T.19N., R.21E.

6. Place of use..... portions of S 1/2 Sec. 16 and S 1/2 Sec. 17, T.19N., R.21E., M.D.B.&M.
 Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about..... January 1st..... and end about..... December 31st..... of each year.
 Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, pump, motor and distribution system
 State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$20,000.00

10. Estimated time required to construct works 2 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water will be commingled with decreed Truckee River water to service 600 single family units together with retail stores and public buildings.

Applicant: Fred G. Manha & Jose A. Manha, Jr.

By s/ Walter L. Neitz
Associated Land Surveyors
2890 Vassar Street, Suite A,
Reno, NV 89502

Compared dcb/br dcb/br

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 34826 shall not exceed 66.0 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.5 cubic feet per second, but not to exceed 66.0 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 26, 1981

Proof of completion of work shall be filed before April 26, 1981

Application of water to beneficial use shall be made on or before March 26, 1983

Proof of the application of water to beneficial use shall be filed on or before April 26, 1983

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed

IN TESTIMONY WHEREOF, I PETER G. MORROS,
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed

my office, this 28th day of MAY

Cultural map filed

A.D. 19 84

Certificate No. Issued

[Signature]
State Engineer

218 (Rev.)
Permit Abrogated By 43626 1.5 cfs
5/172 1.0 g

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 3 1978
Returned to applicant for correction DEC 15 1978
Corrected application filed FEB 9 1979
Map filed FEB 9 1979

The applicant Fred G. Manha, as to an undivided 60% interest and Jose A. Manha, Jr. as to an undivided 40% interest P.O. Box 7632, of Reno Nevada 89512, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

- 1. The source of the proposed appropriation is underground
2. The amount of water applied for is 2.5 second-feet
3. The water to be used for quasi-municipal and domestic
4. If use is for: (a) Irrigation (state number of acres to be irrigated) (b) Stockwater (state number and kinds of animals to be watered) (c) Other use (describe fully under "No. 12. Remarks") (d) Power: (1) Horsepower developed (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: from which the 1/4 corner common to sections 17 & 20 T19N, R21E, MDM, bears S29° 29'W 658 feet. SW 1/4 SE 1/4 Sec 17 T.19N., R.21E.
6. Place of use: portions of S 1/2 Sec. 16 and S 1/2 Sec. 17, T.19N., R.21E. MDB&M.

7. Use will begin about January 1st and end about December 31st, of each year.
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, pump, motor and distribution system

- 9. Estimated cost of works \$20,000.00
- 10. Estimated time required to construct works 2 years
- 11. Estimated time required to complete the application to beneficial use 5 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water will be commingled with decreed Truckee River water to service 600 single family units together with retail stores and public buildings.

Applicant Fred G. Manha & Jose A. Manha, Jr.

By s/ Walter L. Neitz
 Associated Land Surveyors
 2890 Vassar Street, Suite A,
 Reno, NV 89502

Compared lp/dh ja/dp

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 38426 shall not exceed 66.0 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.5 cubic feet per second, but not to exceed 66.0 million gallons annually.

- Actual construction work shall begin on or before March 26, 1980
- Proof of commencement of work shall be filed before April 26, 1980
- Work must be prosecuted with reasonable diligence and be completed on or before March 26, 1981
- Proof of completion of work shall be filed before April 26, 1981
- Application of water to beneficial use shall be made on or before March 26, 1983
- Proof of the application of water to beneficial use shall be filed on or before April 26, 1983
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed **MAR 31 1980**
 Completion of work filed **MAY 27 1982**
 Proof of beneficial use filed
 Cultural map filed
 Certificate No. Issued
 Recorded Bk. Page

IN TESTIMONY WHEREOF, I, **WILLIAM J. NEWMAN**
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this **26th** day of **SEPTEMBER**

A.D. 19 **79** SEE CORRECTED PERMIT

William J. Newman
 State Engineer

~~CANCELLED FEB 2 1 1982 BECAUSE OF FAILURE TO REFILE~~

~~21 CORRECTED APPLICATION WITHIN STATUTORY TIME.~~

Cancellation Rescinded
5-25-79-Ruling