

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JAN 9 1978

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... JAN 9 1978

The applicant..... William Robert Taylor

5445 So. Carson....., of Carson City
Street and No. or P.O. Box No. City or Town

Nevada 89701....., hereby make..... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) This property is privately owned by William R. Taylor and Billie R. Taylor (wife)

1. The source of the proposed appropriation is..... Underground, in the City of Carson
Name of stream, lake or other source.
City, Nevada

2. The amount of water applied for is..... .5 cfs..... second-foot
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... none..... acre-feet

3. The water to be used for..... Sale Office with 2 bathrooms, and some landscaping
(commercial) Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks")..... see #12

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NE 1/4 SE 1/4 Sec. 31, T. 15N, R. 20E, MDB&M or at a point from which the SE corner of said section

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

31 bears S 06° 52' 06" E a distance of 1607.62 feet
it should be stated.

6. Place of use NE 1/4 SE 1/4 of Sec. 31, T. 15N, R. 20E, MDB&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 6" well, pump and motor, pressure system

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works.....\$4000.00
- 10. Estimated time required to construct works..... 2 weeks
- 11. Estimated time required to complete the application to beneficial use..... Same as #10
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This well application is being submitted, because of the extreme high cost of bringing City Water to this property. At the present time a 6 inch Main Water line would have to be run approximately 2600', at a cost of better than 6.00 per ft. plus the installation of (3) fire hydrants, for a total cost in excess of \$20,000.00. We purchased this property in May 1977 for the express purpose of putting in a Mobile Home Sales lot. Since that time we have run up against a brick wall, trying to receive a a building permit to install a Sales Office, and open for business. The City tells me, if I have water, they will issue this building permit. We are requesting only a small amount of water. Approx. 750,000 gallons a year.

Applicant S/ William Robert Taylor
 Compared.....lp/ga.....bl/bc.....
 By..... 5445 So. Carson
 Carson City, Nev. 89701

.....APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.1.....cubic feet per second, but not to exceed..... 0.750 million gallons annually.

- Actual construction work shall begin on or before..... January 14, 1979
- Proof of commencement of work shall be filed before..... February 14, 1979
- Work must be prosecuted with reasonable diligence and be completed on or before..... January 14, 1980
- Proof of completion of work shall be filed before..... February 14, 1980
- Application of water to beneficial use shall be made on or before..... January 14, 1982
- Proof of the application of water to beneficial use shall be filed on or before..... February 14, 1982
- Map in support of proof of beneficial use shall be filed on or before.....

AUG 8 1978

Commencement of work filed.....
 Completion of work filed.....
 Proof of beneficial use filed.....
 Cultural map filed.....
 Certificate No.....Issued.....
 Recorded.....Bk.....Page.....
 County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.....14th.....day of..... JULY.....

A.D. 19.....78

[Signature]
 CANCELLED APR 15 1980 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
[Signature] STATE ENGINEER