

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... MAY 11 1978

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAY 11 1978

The applicant..... Douglas County

P.O. Box 426....., of Minden.....
Street and No. or P.O. Box No. City or Town

Nevada 89423....., hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... underground.....
Name of stream, lake or other source.

2. The amount of water applied for is..... 2.23 cfs..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... Quasi-Municipal and Domestic.....
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point:..... NE 1/4 NE 1/4 of section 24, T12N,

R20E, MDB&M, or at a point from which the NE corner of said section
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

24 bears N 61° 43' 24" E, 1048 feet.....
It should be stated.

6. Place of use..... S 1/2 NW 1/4, W 1/2 SW 1/4 NE 1/4, and the N 1/2 SW 1/4 of section 18, T12N,.....
Describe by legal subdivision, if on unsurveyed land it should be so stated.

R21E, MDB&M, Douglas County, Nevada.....

7. Use will begin about..... January 1..... and end about..... December 31....., of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... drilled well, pump and storage tank and transmission line to the place of use.....
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works \$75,000
- 10. Estimated time required to construct works 2 years
- 11. Estimated time required to complete the application to beneficial use 10 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The proposed well which is the subject of this application will be used for a County Park Facility which will include an indoor and outdoor arena, campsites, and restrooms. The amount of water requested (1000 gpm) is to meet fire flow requirements for the sprinkler system in the indoor arena. Annual consumptive use will be for the actual use of the facilities.

Applicant Douglas County

By s/ Garry D. Stone

Garry Stone, Chairman
Board of Douglas County Commissioners
Box 426, Minden, Nevada 89423

Compared lp/ga jv/bl

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.23 cubic feet per second, but not to exceed 95.0 million gallons annually.

Actual construction work shall begin on or before July 16, 1979

Proof of commencement of work shall be filed before August 16, 1979

Work must be prosecuted with reasonable diligence and be completed on or before July 16, 1980

Proof of completion of work shall be filed before August 16, 1980

Application of water to beneficial use shall be made on or before July 16, 1983

Proof of the application of water to beneficial use shall be filed on or before August 16, 1983

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed.....
Completion of work filed.....
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No..... Issued.....
Recorded..... Bk..... Page.....
..... County Recorder

IN TESTIMONY WHEREOF, I WILLIAM N. NEWMAN
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 16th day of January

A.D. 19 79
William J. Newman
State Engineer

