

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 18 1978

Returned to applicant for correction DEC 8 1978

Corrected application filed JAN 12 1979 Map filed JAN 12 1979

The applicant Spanish Springs Association

350 South Center Street, #550 of Reno Nevada 89501

hereby make application for permission to change the place of use and point of diversion.

of water heretofore appropriated under Permit No. 29284

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

- 1. The source of water is underground
2. The amount of water to be changed 2.2 sec.-ft., 474.49 acre-feet
3. The water to be used for quasi-municipal purposes
4. The water heretofore used for quasi-municipal purposes
5. The water is to be diverted at the following point SE 1/4 of the NW 1/4, Sec. 35, T. 21N, R. 20E, at a point which bears S34°54'E 3135 feet from the NW corner of said
6. The existing point of diversion is located within NW 1/4 of the SE 1/4, Sec. 23, T. 21N, R. 20E, at a point which bears N62°51'W 2655 feet from the SE corner of said
7. Proposed place of use the SW 1/4, E 1/2 NE 1/4 Sec. 4, T. 20N, R. 20E, Sec. 11, Sec. 13 except the E 1/2 NE 1/4, Sec. 14 W. of Hwy. 33, E 1/2 NE 1/4 and SE 1/4 of Sec. 15, E 1/2 Sec. 22, Sec. 23 W. of Hwy. 33, Sec. 26 W. of Hwy. 33, Sec. 27, Sec. 35 W. of Hwy. 33, and Sec. 34, all in T. 21N., R. 20E.
8. Existing place of use E 1/2 Sec. 22; Sec. 23 W. of Hwy. 33; SE 1/4 Sec. 15; SW 1/4 and SE 1/4 W. of Hwy. 33 of Sec. 14; all in T. 21N., R. 20E. MDB&M.
9. Use will be from January 1 to December 31 of each year.
10. Use has been from January 1 to December 31 of each year.
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) cased well and distribution pipes

- 12. Estimated cost of works..... \$10,000.00
- 13. Estimated time required to construct works..... 24 months
- 14. Estimated time required to complete the application of water to beneficial use..... 4 years
- 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Maximum 2000 acre-feet diversion over entire place of use

Compared... lp/dh bc/bl  
Pro. Overruled-See Ruling #2639-4/28/81

Pro. 06/01/79 by L. David Kiley, trustee (and personally)  
Applicant Spanish Springs Association  
Pro. 06/01/79 by Richard T. Donovan  
By s/ Richard W. Harris  
530 East Plumb Lane  
Reno, NV 89502

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 29284 is issued subject to the terms and conditions imposed in said Permit 29284 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permits 36053, 36054, 36055, 36056 and 36057 shall not exceed 1789.45 acre-feet per annum.

This permit is abrogated by Permit 39857. In the event of the cancellation or withdrawal of Permit 39857, no rights will revert to this permit.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.2 cubic feet per second, but not to exceed 474.49 acre-feet annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before ABROGATED BY PERMIT 39857

Proof of completion of work shall be filed before " " " "

Application of water to beneficial use shall be made on or before ABROGATED BY PERMIT 39857

Proof of the application of water to beneficial use shall be filed on or before " " " "

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed.....	IN TESTIMONY WHEREOF, I.....
Completion of work filed.....	State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed.....	my office, this 31st day of AUGUST
Cultural map filed.....	A.D. 19 81
Certificate No..... Issued.....	<i>Peter G. Morros</i>
Recorded..... Bk..... Page.....	State Engineer