

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... DEC 8 1978

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... DEC 8 1979

The applicant..... Hudson Oil Company, Inc.

P.O. Box 3310..... of Kansas City
Street and No. or P.O. Box No. City or Town

Kansas 66103....., hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

November 1, 1949 in the State of Kansas

1. The source of the proposed appropriation is..... underground sources
Name of stream, lake or other source.

2. The amount of water applied for is..... 0.05 cfs..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... Quasi-Municipal
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: in the SE¹/₄SW¹/₄ of section 18,

T20S, R61E, MDB&M, whence the southwest corner of said section 18
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.
bears S 87° 17' 14" W, 1,854.55 feet distant.
SW¹/₄

6. Place of use..... a portion of the SW¹/₄SE¹/₄ of section 18, T20S, R61E, MDB&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about 1st of January and end about 31st of December of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) The water will be pumped into a 200 gallon pressure tank, then distributed throughout the Service Station for the appropriate uses.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$10,000.....
- 10. Estimated time required to construct works..... 2 years.....
- 11. Estimated time required to complete the application to beneficial use..... 2 years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

..... This water will be used to service an existing Service
 Station and facilities. This Service Station does not have
 access to any Munciple Water System.

Applicant Hudson Oil Company, Inc.
 Pro. 4/2/79 by LVVWD
 Pro. overruled 8-7-79, Ruling 2488 By s/ Richard Forman
 Compared. lp/dh ja/dp Richard W. Forman, Agent
 P.O. Box 150
 Ely, Nevada 89301

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 0.55 million gallons annually.

- Actual construction work shall begin on or before..... March 12, 1980
- Proof of commencement of work shall be filed before..... April 12, 1980
- Work must be prosecuted with reasonable diligence and be completed on or before..... March 12, 1981
- Proof of completion of work shall be filed before..... April 12, 1981
- Application of water to beneficial use shall be made on or before..... March 12, 1982
- Proof of the application of water to beneficial use shall be filed on or before..... April 12, 1982
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed DEC 1 1980
 Completion of work filed APR 23 1981
 Proof of beneficial use filed
 Cultural map filed
 Certificate No. Issued
 Recorded Bk. Page
 County Recorder

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 12th day of SEPTEMBER
 A.D. 19 79
 William J. Newman
 State Engineer