

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 6 1979

Returned to applicant for correction

Corrected application filed

Map filed JUN 6 1967 under 23831

The applicant Penrose General Improvement District

44 Penrose Dr. of Yerington Street and No. or P.O. Box No. City or Town

Nevada 89447 State and Zip Code No. hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) 5 member board of Trustee,

Quasi-municipal Elaine Dominc, Walter G. Reid, Eve Penrose, Herbert S. Penrose, Harrit Tunbou

1. The source of the proposed appropriation is Underground Name of stream, lake, spring, underground or other source .50 cfs

2. The amount of water applied for is 1.50 cfs second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Quasi-Municipal Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under No. 12. "Remarks")

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point SE 1/4-NE 1/4 Sec. 33, T.14N. R.25E. Describe as being within a 40-acre subdivision of public

MDB&M or at a point from which the NE corner of said Section 33 bears N. 11 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

degress 06'41" E., a distance of 2,416.49 feet

6. Place of use NE 1/4 of Section 33, T.14N., R.25E., MDB&M. Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31 of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 6" main directly to 10,000 gal pressure tank then disburse through 6" main State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... 187,544.00

10. Estimated time required to construct works..... Notice of completion filed Jan 18, 1967 under  
 21533..... If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Water will be used for domestic and irrigation on the following Golf Course,  
 Park, Commercial Residential Multiple Motel, Club House, Fire protection &  
 needs not known at this time within the boundaries of Penrose Country Club  
 Estate & future annexed Properties by the P.G.I.D.

By..... s/ Herbert S. Penrose, Pres.

Compared..... ap/se..... ap/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined amount of water granted under this permit and Permit 23833 is limited to what the well covered under two permits is capable of producing. If certificates of appropriation are issued under this permit and Permits 23833, the (CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.5..... cubic feet per second, but not to exceed 123.0 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... June 23, 1979

Proof of completion of work shall be filed before..... July 23, 1979

Application of water to beneficial use shall be filed on or before..... June 23, 1982

Proof of the application of water to beneficial use shall be filed on or before..... July 23, 1982

Map in support of proof of beneficial use shall be filed on or before..... July 23, 1982

Completion of work filed..... AUG 6 1979

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 2nd day of October

A.D. 1992


*[Signature]*  
 State Engineer

Refer to "SEE CORRECTED PERMIT" signed April 23, 1979.

(PERMIT TERMS CONTINUED)

total combined amount of appropriation granted in said certificates shall not exceed what the well covered under the two permits is capable of producing.

The total combined amount of water granted under this Permit and Permits 36632, 23832, and 23833 shall not exceed 129.205 million gallons annually.



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 6 1979

Returned to applicant for correction

Corrected application filed

Map filed June 6, 1967

The applicant Penrose General Improvement District 44 Penrose Dr. of Yerington Nevada 89447 hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) 5 member board of Trusstee, Quasi-municipal Elaine Dominc, Walter G. Reid, Eve Penrose, Herbert S. Penrose, Harrit Tunbou

1. The source of the proposed appropriation is Underground .50 cfs

2. The amount of water applied for is 1.50 cfs second-feet (a) If stored in reservoir give number of acre-feet N/A acre-feet

3. The water to be used for Quasi-Municipal Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for: (a) Irrigation (state number of acres to be irrigated) N/A (b) Stockwater (state number and kinds of animals to be watered) N/A (c) Other use (describe fully under "No. 12. Remarks") (d) Power: (1) Horsepower developed N/A (2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point: SE 1/4 - NW 1/4 Sec. 33, T.14N. R. 25E. MDB&M or at a point from which the NE corner of said Section 33 bears N. 11 degress 06'41" E., a distance of 2,416.49 feet it should be stated.

6. Place of use NE 1/4 of Section 33, T.14N., R.25E., MDB&M. Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31 of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 6" main directly to 10,000 gal pressure tank then disburse through 6" main State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works.....187,544.00
- 10. Estimated time required to construct works. Notice of completion filed Jan 18, 1967  
under 21533
- 11. Estimated time required to complete the application to beneficial use.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

.....Water will be used for domestic and irrigation on the following  
 .....Golf Course, Park, Commercial Residential Multiple Motel, Club  
 .....House, Fire protection & needs not known at this time within the  
 .....boundaries of Penrose Country Club Estate & future annexed  
 Properties by the P.G.I.D.

Applicant Penrose General Improvement  
 District

By/s/ Herbert S. Penrose, Pres.

Compared.....LP/ha.....jm/dh.....

.....APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

.....This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

.....The total combined amount of water granted under this permit and Permit 23833 is limited to what the well covered under the two permits is capable of producing. If certificates of appropriation are issued under this permit and Permit 23833, the total combined amount of appropriation granted in said certificates shall not exceed what the well covered under the two permits is capable of producing.

.....The total combined amount of water granted under this Permit and Permits 36632, 23832, and 23833 shall not exceed 129.205 million gallons annually.

.....The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....1.5.....cubic feet per second, but not to exceed 123.0 million gallons annually.

- Actual construction work shall begin on or before.....June 23, 1979
- Proof of commencement of work shall be filed before.....July 23, 1979
- Work must be prosecuted with reasonable diligence and be completed on or before.....June 23, 1979
- Proof of completion of work shall be filed before.....July 23, 1979
- Application of water to beneficial use shall be made on or before.....June 23, 1982
- Proof of the application of water to beneficial use shall be filed on or before.....July 23, 1982
- Map in support of proof of beneficial use shall be filed on or before.....July 23, 1982

.....Commencement of work filed AUG 6 1979  
 .....Completion of work filed AUG 6 1979  
 .....Proof of beneficial use filed.....  
 .....Cultural map filed.....  
 Certificate No..... Issued.....  
 Recorded..... Bk..... Page.....  
 County Recorder

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN  
 State Engineer of Nevada, have hereunto set my hand and the seal of  
 my office, this 23rd day of APRIL

A.D. 19 79  
William J. Newman  
 CANCELLED AUG 24 1982 BECAUSE OF STATE ENGINEER  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PER

218 (Rev.) Cancellation received  
See Hearing Transcript of  
6 Dec. '82.

Peter J. Morrison STATE ENGINEER