

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

FEB 12 1979

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

FEB 12 1979

Map filed.....

The applicant U.S. Department of the Interior, Bureau of Land Management  
Star Route 5, Box 1, of Ely,  
Street and No. or P.O. Box No. City or Town  
Nevada 89301, hereby make... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Lion Spring  
Name of stream, lake or other source.

2. The amount of water applied for is 0.003 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Livestock and wildlife  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered) 100 cows, 10 horses  
23 deer, yearlong sage grouse and

(c) Other use (describe fully under "No. 12. Remarks") other small game.

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: SE $\frac{1}{4}$ SW $\frac{1}{4}$  of Section 27, T.5N.,  
R.70E., MDB&M. The SW corner of said Section 27 bears S. 86° 30' W.,  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
a distance of 1975.1 feet.  
it should be stated.

6. Place of use SE $\frac{1}{4}$ SW $\frac{1}{4}$  of Section 27, T.5N., R.70E., MDB&M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about 1 January and end about 31 December, of each year.  
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Spring development and stock trough  
approximately 550 gal. capacity and 112 feet 1 $\frac{1}{2}$ " PVC pipe.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

