

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

FEB 14 1979

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... FEB 14 1979

The applicant U.S. Department of the Interior - Bureau of Land Management P.O. Box 5400, of Las Vegas Nevada 89102, hereby make S. application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

(If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground Name of stream, lake or other source.

2. The amount of water applied for is 0.06 second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet. acre-feet

3. The water to be used for Domestic and recreation purposes Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SE 1/4 SE 1/4 of Section 12, T.21S., R.58E., MDB&M. The SE corner of said Section 12 bears S. 82° 02' E., a distance of 1227.74 feet.

6. Place of use. NE 1/4 SE 1/4 of Section 12, T.21S., R.58E., MDB&M.

7. Use will begin about 1 January and end about 31 December, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 6" cased well with submersible pump set at 460', 2" discharge pipe to buried booster pumphouse with 10,900 gal. storage tank buried adjacent to pumphouse. Approximately 2000' of 4" PVC pipe used to deliver water to place of use.

- 9. Estimated cost of works.....\$70,000.00.....
- 10. Estimated time required to construct works.....1 year.....
- 11. Estimated time required to complete the application to beneficial use.....1 year.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use. The waters are required on year round basis to meet demands of a 7,000 sq. ft. visitor center consisting of 2 public restrooms, drinking fountains, janitorial sinks, and landscape irrigation of estimated one acre of grass and desert shrubs adjacent to building. We estimate 500,000 visitor days per year. "The United States does not, by the filing of this application, waive its claim to water originating on public lands of the United States, nor its claim that it has a right to use such water without the filing of this application. This filing and the accompanying payment of filing fees is made under protest."

Applicant U.S. Department of the Interior
Bureau of Land Management

By s/ John S. Boyles
John S. Boyles, District Manager
P.O. Box 5400
Las Vegas, NV 89102

Compared lp/dh js/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.06 cubic feet per second, but not to exceed 14.15 million gallons annually.

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before April 10, 1988

Proof of completion of work shall be filed before May 10, 1988

Application of water to beneficial use shall be made on or before April 10, 1990

Proof of the application of water to beneficial use shall be filed on or before May 10, 1990

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....
Completion of work filed FEB 17 1989
Proof of beneficial use filed JUN 22 1990
Cultural map filed.....
Certificate No. 14311 Issued MAY 01 1996
Recorded Bk 53 Page 14311
County Recorder

IN TESTIMONY WHEREOF, I PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 10th day of April

A.D. 1986
Peter G. Morros
State Engineer