

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. MAR 30 1979 (See Ruling dated May 2, 1979)

Returned to applicant for correction. OCT 25 1979

Corrected application filed.....

Map filed.....

The applicant William L. Daly
44351 N. 23rd St., of Lancaster
Street and No. or P.O. Box No. City or Town
California 93534, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.

2. The amount of water applied for is 1.0 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for irrigation (quasi municipal-domestic)
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:
(a) Irrigation (state number of acres to be irrigated) 270

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:
(1) Horsepower developed 8 h.p.

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: from the SW corner of Sections
4 & 9 T32-S, R66-E, from which the point of diversion bears S 56 degrees-30'-
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
00" W a distance of 4200 ft.
it should be stated.

6. Place of use Unsurveyed
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) transportable PVC drip-line systems to
be installed capable of covering 5 acres. Each half-acre subsection to be fed
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
from tank, supplied by tank truck.

- 9. Estimated cost of works..... \$6-7,000
- 10. Estimated time required to construct works..... 1 yr
- 11. Estimated time required to complete the application to beneficial use..... 1 yr
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

domestic-single family

Applicant William L. Daly

By s/William L. Daly
44351 N. 23rd St.
Lancaster, CA. 93534

Compared lp/ja

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I.....
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this.....day of.....
 Cultural map filed.....
 Certificate No..... Issued..... A.D. 19.....

Recorded..... Bk..... Page.....
 CANCELLED DEC 26 1979 BECAUSE OF FAILURE TO REFILE State Engineer

William J. Yeoman
STATE ENGINEER