

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 9 1979

Returned to applicant for correction _____

Corrected application filed _____

Map filed APR 9 1979

The applicant Greater Nevada Development Corporation

3600 South Highland Drive, of Las Vegas
Street and No. or P.O. Box No. City or Town

Nevada 89103, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Nevada on May of 1977 Officers:

Raymond Dischner - President; Phillip Kisse - Vice President;
Joseph Ash - Secretary/Treasurer

1. The source of the proposed appropriation is underground source
Name of stream, lake or other source.

2. The amount of water applied for is 0.01 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____ acre-feet

3. The water to be used for Quasi Municipal and domestic purposes
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) _____

(b) Stockwater (state number and kinds of animals to be watered) _____

(c) Other use (describe fully under "No. 12. Remarks") _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: within the Southwest Quarter (SW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section 15, Township 22 South, Range 60 East, MDB&M; at a point from which the Southeast corner of said Section 15 bears South 69°08'53" East, 2197.70 feet.
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use is the Southeast Quarter (SE $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section 15, Township 22 South, Range 60 East, MDB&M., being 2 $\frac{1}{2}$ acres more or less.

7. Use will begin about January 1 and end about December 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) wall with eight inch diameter casing, cement grout the top fifty feet, five horsepower submersible pump and two inch discharge line.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$13,000.00
- 10. Estimated time required to construct works..... two years
- 11. Estimated time required to complete the application to beneficial use..... five years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

this application is used for two residences on a 2 1/2 acre parcel of land.

Applicant Greater Nevada Development Corp

By s/ Richard J. Baughman
Richard J. Baughman
 2325 W. Charleston Blvd.
 Las Vegas, NV 89102

Compared lp/dh dh/jm

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, but not to exceed 0.73 million gallons annually.

- Actual construction work shall begin on or before..... January 24, 1980
- Proof of commencement of work shall be filed before..... February 24, 1980
- Work must be prosecuted with reasonable diligence and be completed on or before..... January 24, 1981
- Proof of completion of work shall be filed before..... February 24, 1981
- Application of water to beneficial use shall be made on or before..... January 24, 1983
- Proof of the application of water to beneficial use shall be filed on or before..... February 24, 1983
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this 24th day of July
 Cultural map filed.....
 Certificate No..... Issued..... A.D. 19 79
 Recorded..... Bk..... Page.....

William J. Newman
 State Engineer