

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

JUN 22 1979

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... JUN 22 1979

The applicant Frontier Council, Girl Scouts of America

2530 East Stewart Avenue, of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89101, hereby make^s application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Richard Geiger, Executive Director

1. The source of the proposed appropriation is Mt. Charleston (Spring Mountain
Name of stream, lake or other source.
range) underground aquifer - well

2. The amount of water applied for is max. 0.2083 sec. ft. second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet 7.10 acre feet per year acre-feet

3. The water to be used for Recreation and institutional purposes
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....


(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: located in the NW¼ of NW¼,
Sec 14, T19S R56E, MDM, N30°31'W 1,230.2 feet to the NW corner of
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
Sec 14, T19S R56E, MDM, Clark County, Nevada
it should be stated.

6. Place of use portions of the NW¼ of SW¼ and the SW¼ of SW¼, Section 11,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
and a portion of the NW¼ of NW¼, Section 14, all in T19S R56E, MDM,
Clark County, Nevada

7. Use will begin about Jan 1 and end about Dec 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8 inch drilled well with casing and 100 gallon per minute pump into existing reservoir.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.



- 9. Estimated cost of works.....\$6,000.00
- 10. Estimated time required to construct works.....six months
- 11. Estimated time required to complete the application to beneficial use.....eighteen months
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

From Oct 1 to Apr 30, Caretaker status: 2-10 persons @ 150 gpd
 From May 1 to May 31 and Sept 1 to Sept 30, minimal use: 30-60
 person @ 150 gpd. From June 1 to Aug 31, intensive use: 150
 persons @ 120 gpd. Total annual usage 2,304,300 gallons, peak
 usage 18,000 gpd. Organized Girl Scout Camp. Usage by com-
 munity groups during non-camp periods. Permanent caretaker.

Applicant.....

Bys/ Robert J. McNutt
 Robert J. McNutt, PE
 P O Box 539
 Las Vegas, Nevada 89101

Compared 1p/ga gk/ja

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.2083 cubic feet per second, but not to exceed 2.3 million gallons annually.

- Actual construction work shall begin on or before..... February 15, 1981
- Proof of commencement of work shall be filed before..... March 15, 1981
- Work must be prosecuted with reasonable diligence and be completed on or before..... February 15, 1982
- Proof of completion of work shall be filed before..... March 15, 1982
- Application of water to beneficial use shall be made on or before..... February 15, 1983
- Proof of the application of water to beneficial use shall be filed on or before..... March 15, 1983
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this 15th day of AUGUST
 Cultural map filed.....
 Certificate No..... Issued..... A.D. 19 80
 Recorded..... Bk..... Page.....

CANCELLED County Recorder APR 15 1983 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
 Peter L. Morris STATE ENGINEER
 William J. Newman State Engineer