

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 19 1979

Returned to applicant for correction

Corrected application filed

Map filed JUL 19 1979

The applicant Joe Endrizzi

4527 West Del Oro Drive, of Las Vegas

Street and No. or P.O. Box No. City or Town

Nevada 89102, hereby make application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin
Name of stream, lake or other source.

2. The amount of water applied for is 0.025 C.F.S. (12.5 acre feet) second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Quasi-Municipal Domestic (4 homes)
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: Within the Southeast Quarter

(SE⁴) of the Southeast Quarter (SE⁴) of Section 33, Township 19 South,

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, Range 60 East M.D.M. The Southeast Corner (SE⁴cor) of said Section 33 bears it should be stated.

6. Place of use S 78° 52' 41" E a distance of 1280.20 feet.

Describe by legal subdivision, if on unsurveyed land it should be so stated.

Southwest Quarter (SW⁴) Southwest Quarter (SW⁴) Southeast Quarter (SE⁴)

Southeast Quarter (SE⁴) Section 33, Township 19 South, Range 60 East M.D.M.

7. Use will begin about January 1st and end about December 31st, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 350 ft. of 8" well casing 7½ horse pump 150 gal. pressure tank - 1" plastic service lines

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... 10,000.00.....
- 10. Estimated time required to construct works..... 1 year.....
- 11. Estimated time required to complete the application to beneficial use..... 3 years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicant... Joe Endrizzi.....

By... /s/ Richard L. Hafen
Richard L. Hafen
2383 Gateway Rd.
Las Vegas, Nevada 89110

Compared... LP/gk..... gk/ja.....

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.025..... cubic feet per second, but not to exceed..... 1.46 million gallons annually.

Actual construction work shall begin on or before..... December 18, 1980

Proof of commencement of work shall be filed before..... January 18, 1981

Work must be prosecuted with reasonable diligence and be completed on or before..... December 18, 1981

Proof of completion of work shall be filed before..... January 18, 1982

Application of water to beneficial use shall be made on or before..... December 18, 1983

Proof of the application of water to beneficial use shall be filed on or before..... January 18, 1984

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... DEC 17 1980
Completion of work filed..... DEC 17 1980
Proof of beneficial use filed.....
Cultural map filed.....

IN TESTIMONY WHEREOF, I, WILLIAM J. NEWMAN
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 18th day of JUNE

Certificate No. Issued
Recorded..... JUL 31 1987..... Page..... CAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
218 (1)
STATE ENGINEER

A.D. 19 80
William J. Newman
State Engineer