

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 19 1979

Returned to applicant for correction DEC 27 1979

Corrected application filed FEB 25 1980

Map filed FEB 25 1980 under 39612

The applicant White Pine County

P.O. Box 659, of Ely

Street and No. or P.O. Box No. City or Town

Nevada 89301

State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Well No. U4 Name of stream, lake or other source.

2. The amount of water applied for is 6.0 cfs second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Industrial Purposes Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: in the NE 1/4 NE 1/4 of Section 32, T.21N., R.61E., M.D.B.&M., whence the Southeast Corner of said Section 32 bears S.02°06'58"E., 5083.45 feet distant. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use Sections 27, 28, 29, 32, 33, 34, T.21N., R.61E., M.D.B.&M. Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) The water will be diverted through a pipeline (approximately 24" in diameter) to the proposed place of use. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

