

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

NOV 26 1979

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

NOV 26 1979

Map filed.....

The applicant Patrick Development Company

Post Office Box 3536, of Reno
Street and No. or P.O. Box No. City or Town

Nevada (89505), hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Well No. 6
Name of stream, lake or other source.

2. The amount of water applied for is 1.0 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Quasi-Municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: SE 1/4 SW 1/4 Section 29, T20N,

R22E, M.D.B. & M., or at a point from which the E 1/4 corner of said Section 29
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
bears, N 59° 45' E 4,380 feet.
it should be stated.

6. Place of use Section 21, NE 1/4, NW 1/4, SW 1/4 Section 29, T20N, R22E, M.D.B. & M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill well, install pump and motor,
transmission and distribution system and storage tank for complete community
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
water system.

- 9. Estimated cost of works \$900,000.....
- 10. Estimated time required to construct works..... Three Years.....
- 11. Estimated time required to complete the application to beneficial use..... Seven Years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

..... This application is to serve approximately 1,300 additional residential units
 under a planned unit development with a community water system. This water will be
 commingled with water from Underground Wells 5 and 7, Permits 35935, 35936,
 35937 and 35938. The total for all applications is 3,000 units.....

Applicant Patrick Development Company.....

By s/ Richard W. Arden
 Richard W. Arden, Agent
 950 Industrial Way
 Sparks, Nevada (89431)

Compared ga/jw js/bc.....

..... APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

..... This permit is issued subject to existing rights. It is understood that the
 amount of water herein granted is only a temporary allowance and that the final
 water right obtained under this permit will be dependent upon the amount of water
 actually placed to beneficial use. It is also understood that this right must allow
 for a reasonable lowering of the static water level. This well shall be equipped
 with a two (2) inch opening for measuring depth to water. If the well is flowing, a
 valve must be installed and maintained to prevent waste. A totalizing meter must be
 installed and maintained in the discharge pipeline near the point of diversion and
 accurate measurements must be kept of water placed to beneficial use. The totalizing
 meter must be installed before any use of water begins, or before the Proof of
 Completion of Work is filed. This source is located within an area designated by the
 State Engineer, pursuant to NRS 534.030. The State retains the right to regulate
 the use of the water herein granted at any and all times.

..... This Permit does not extend the permittee the right of ingress and egress on
 public, private or corporate lands.

..... The issuance of this permit does not waive the requirements that the permit
 holder obtain other permits from State, Federal and local agencies.

..... (CONTINUED ON PAGE 2)

..... The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
 not to exceed 1.0 cubic feet per second, but not to exceed 235.9
 million gallons annually.

..... Actual construction work shall begin on or before.....

..... Proof of commencement of work shall be filed before.....

..... Work must be prosecuted with reasonable diligence and be completed on or before March 26, 1986.....

..... Proof of completion of work shall be filed before April 26, 1986.....


..... Application of water to beneficial use shall be made on or before March 26, 1988.....

..... Proof of the application of water to beneficial use shall be filed on or before April 26, 1988.....

..... Map in support of proof of beneficial use shall be filed on or before April 26, 1988.....

..... Commencement of work filed..... IN TESTIMONY WHEREOF, I PETER G. MORROS
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this 8th day of October.....

..... Cultural map filed.....
 Certificate No. JAN 08 1990 issued..... BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

A.D. 19 85

 State Engineer

..... 218 (Rev.)
 STATE ENGINEER

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 35935, 35936, 35937, 35938, 39831, 39832 and 39833 shall not exceed 620.5 million gallons annually.

At least two ground water monitoring wells are to be installed within the place of use at locations satisfactory to the State Engineer before any diversion of groundwater from the production well takes place. The monitoring wells must be suitably cased, perforated, sealed and capped, and must penetrate at least 75 feet below the water table.

STATE ENGINEER
DIVISION OF WATER RESOURCES
WASHINGTON, D. C. 20540

