

AMENDED APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 14 1980

Returned to applicant for correction

Corrected application filed APR 3 1980

Map filed APR 3 1980

The applicant Elmer F. and Wilma C. Gordon

P.O. Box 45 of Golconda Nevada 89414

Street and No. or P.O. Box No. City or Town State and Zip Code No., hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground Name of stream, lake or other source.

2. The amount of water applied for is .0046 c.f.s. second-foot One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Domestic & Heating purposes Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: the SE 1/4 NE 1/4 of Section 32, T.36N.,

R.40E., or at a point from which the East 1/4 corner of said Section 32 bears Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, S 55°10' E 1,489.0'. it should be stated.

6. Place of use 1.08 acres, more or less, within the SE 1/4 NE 1/4 of Section 32, T.36N., Describe by legal subdivision, if on unsurveyed land it should be so stated.

R.40E., M.D.B.&M.

7. Use will begin about January 1st and end about December 31st, of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, motor, and pipelines

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$5,000.00
- 10. Estimated time required to construct works..... 3 years
- 11. Estimated time required to complete the application to beneficial use..... 5 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The request is to tap a hot water aquafier to use for heating and other domestic purposes. Estimated use if 1,095,000 gallons, annually.

Applicant..... Elmer F. and Wilma C. Gordon

By..... s/Robert N. Caldwell
 Robert N. Caldwell, R.L.S. (agent)
 510 Melarkey Street
 Winnemucca, Nevada 89445

Compared..... bl/ jk bt/gk

..... APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.0046 cubic feet per second, but not to exceed..... 1.1 million gallons annually.

Actual construction work shall begin on or before..... N/A

Proof of commencement of work shall be filed before..... N/A

Work must be prosecuted with reasonable diligence and be completed on or before..... September 4, 1982

Proof of completion of work shall be filed before..... October 4, 1982

Application of water to beneficial use shall be made on or before..... September 4, 1983

Proof of the application of water to beneficial use shall be filed on or before..... October 4, 1983

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I..... PETER G. MORROS
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this 4th day of SEPTEMBER

Cultural map filed.....
 Certificate..... Issued..... A.D. 19 81
 CANCELLED NOV 04 1982 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
 218 (Rev.)
 Peter G. Morros
 STATE ENGINEER