

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 15 1980

Returned to applicant for correction

Corrected application filed

Map filed FEB 15 1980

The applicant George Karadanis

450 Arlington St, of Reno, Nevada

Street and No. or P.O. Box No. City or Town State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Name of stream, lake or other source.

2. The amount of water applied for is 0.1 second-foot One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-foot

3. The water to be used for Domestic and Commercial Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for: (a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SE 1/4 SE 1/4 Sec 17 T.18N., R.20E.,

or at a point from which the SE corner of said Sec 17 bears S 83°


Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, 40'29' E a distance of 1217.24 feet

it should be stated. Within the same description

6. Place of use. A portion located within SW 1/4 SE 1/4 and SE 1/4 SE 1/4 Sec 17 T.18N., R.20E., Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan 1 and end about Dec 31, of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill well with turbin pump to storage tank to supply appt unit State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.



- 9. Estimated cost of works..... 5000.00
- 10. Estimated time required to construct works..... 1 year
- 11. Estimated time required to complete the application to beneficial use..... 1 year
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

To furnish water for a 900 sq. ft. apt. unit (caretakers unit)

Applicant George Karadanis

By s/ George Karadanis, agent

Compared lp/js gk/ja

450 Arlington St
Reno, Nevada

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 0.091250 million gallons annually.

- Actual construction work shall begin on or before March 22, 1981
- Proof of commencement of work shall be filed before April 22, 1981
- Work must be prosecuted with reasonable diligence and be completed on or before March 22, 1982
- Proof of completion of work shall be filed before April 22, 1982
- Application of water to beneficial use shall be made on or before March 22, 1983
- Proof of the application of water to beneficial use shall be filed on or before April 22, 1983
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed.....
 Completion of work filed..... **OCT 9 1981**
 Proof of beneficial use filed..... **MAY 2 1983**
 Cultural map filed.....
 Certificate No. **10659** Issued **MAY 9 1983**

IN TESTIMONY WHEREOF, I, **WILLIAM J. NEWMAN** State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 22nd day of SEPTEMBER

A.D. 19 80
William J. Newman
State Engineer