

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 29 1980

Returned to applicant for correction MAY 19 1980

Corrected application filed JUN 10 1980

Map filed AUG 15 1980

The applicant Falconi Construction, Inc.

530 Searls Avenue Suite A Nevada City

Street and No. or P.O. Box No. City or Town

California 95959, hereby make application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) June 15, 1979 in Carson City, Nevada

1. The source of the proposed appropriation is underground adjacent to Willow Canyon Wash Name of stream, lake or other source.

2. The amount of water applied for is 0.5 second-foot One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-foot

3. The water to be used for manufacturing Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for: (a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power: (1) Horsepower developed (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: Being within a 40 acre subdivision of public survey-specifically the NE 1/4, SE 1/4 of Sec. 8, T27N, R34E and bearing S 11°-38' E a distance of 2491.00 ft. from the S.E. corner of said Sec. 8. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use Probably in the SW 1/4 of Sec. 17, T27N, R34E Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water is to be diverted through pipes State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works \$100,000
- 10. Estimated time required to construct works 1 1/2 yrs.
- 11. Estimated time required to complete the application to beneficial use 2 yrs.
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

200 GPM - Portland Cement Manufacture - 24 hour per day operation

Applicant Falconi Construction, Inc.

Pro. 10/23/80 by BLM
Pro. withdrawn 1/28/83

By s/William J. Falconi
530 Searls Avenue Suite A
Nevada City, California 95959

Compared bc/ ja dcb/br

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. No perforations shall be put in the production casing from ground level to 100 feet.

The total combined duty of water under permits 40780, 40782, 46892, 47330, 47331, 47332, 47333, 47334, 47335, 47336, 47337, 47338 and 47425 shall not exceed 707.7 million. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed 0.5 cubic feet per second, but not to exceed 117.95 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before April 13, 1986

Proof of completion of work shall be filed before May 13, 1986

Application of water to beneficial use shall be made on or before April 13, 1989

Proof of the application of water to beneficial use shall be filed on or before May 13, 1989

Map in support of proof of beneficial use shall be filed on or before _____

Commencement of work filed _____ IN TESTIMONY WHEREOF, I PETER G. MORROS
Completion of work filed _____ State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed _____ my office, this 13th day of APRIL
Cultural map filed _____

Certificate No. _____ Issued _____ A.D. 19 84

CANCELLED 06130 1984 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMITS BY William J. Falconi JUN 19 1987 State Engineer
218 (Rev.) William J. Falconi STATE ENGINEER

PERMIT TERMS CONTINUED:

40780

gallons annually.

