

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 4 1980

Returned to applicant for correction JUN 12 1980

Corrected application filed

Map filed MAY 15 1980

The applicant Peter John Cahoon

1881 South 1800 West of Woods Cross, Utah 84087

Street and No. or P.O. Box No. City or Town State and Zip Code No., hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Name of stream, lake or other source.

2. The amount of water applied for is 5.6 Sec. Feet second-foot One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for irrigation & domestic Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) 320 Acres

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream 0

5. The water is to be diverted from its source at the following point: w/in SE1/4 SE1/4 of Section

4 T37N R69E MDM or at a point from which the SE corner of said Section 4 bears S 16°23' E, 1063 feet. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use S1/2 Sect 4 T37N R69E MDM Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan 1 and end about Dec 31 of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled and cased well equipped with motor, pump and sprinkler system. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works... \$50,000
- 10. Estimated time required to construct works... 3 years
- 11. Estimated time required to complete the application to beneficial use... 3 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

D. L. E.

Applicant s/Peter John Cahoon

By s/Peter John Cahoon
 1881 So 1800 West
 Woods Cross, Utah 84087

Compared bl/ja bl/bc

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ^{deny}~~grant~~ the same, subject to the following limitations and conditions:

This application is herewith denied on the grounds that the granting thereof would adversely affect existing rights and would be detrimental to the public interest and welfare.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

- Commencement of work filed.....
- Completion of work filed.....
- Proof of beneficial use filed.....
- Cultural map filed.....
- Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, PETER G. MORROS
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 29th day of January

A.D. 19 86

 State Engineer