

- 9. Estimated cost of works..... Ten Thousand Dollars.
- 10. Estimated time required to construct works..... Three Years.
- 11. Estimated time required to complete the application to beneficial use..... Five Years.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
 366 Mobile Home Estates, and one Well Site including office for the operation and maintenance of the water facility. Please advise our State Water Right Surveyor, David F. Causey, P. O. Box 14846, Las Vegas, Nevada, of all action taken or other matters relating to this application.

Applicant..... Evaluators, Inc.

By..... s/David F. Causey
 David F. Causey, Agent
 P. O. Box 14846
 Las Vegas, Nevada 89114

Compared..... lp/jk..... gk/ja

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 41077 shall not exceed 40.0 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.0..... cubic feet per second, but not to exceed 40.0 million gallons annually.

- Actual construction work shall begin on or before..... April 27, 1981
- Proof of commencement of work shall be filed before..... May 27, 1981
- Work must be prosecuted with reasonable diligence and be completed on or before..... April 27, 1982
- Proof of completion of work shall be filed before..... May 27, 1982
- Application of water to beneficial use shall be made on or before..... April 27, 1985
- Proof of the application of water to beneficial use shall be filed on or before..... May 27, 1985
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I..... WILLIAM J. NEWMAN
 Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this..... 27th..... day of..... OCTOBER.....
 Cultural map filed.....

Certificate No..... Issued..... JUL 26 1984..... A.D. 1980
 CANCELED OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMITS
 State Engineer
 218 (Rev.)