

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 28 1980

Returned to applicant for correction JUL 23 1980

Corrected application filed _____

Map filed _____

The applicant Scott Le Grand Bindrup

3215 Ashby, of Las Vegas
Street and No. or P.O. Box No. City or Town

Nevada 89102, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.

2. The amount of water applied for is .05 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____ acre-feet

3. The water to be used for Quasi Municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) _____

(b) Stockwater (state number and kinds of animals to be watered) _____

(c) Other use (describe fully under "No. 12. Remarks") 4 homesites

(d) Power:

(1) Horsepower developed 5 H.P.

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: The NW¼ of the SE¼ of the SE¼ of the NW¼ of Section 16 T.22S. R.61E. M.D.B.M. to be diverted from the Center ¼ cor. of Sec. 16 T.22S. R.61E. M.D.B.M. N. to the point of diversion
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use The NW¼ of the SE¼ of the SE¼ of the NW¼ of Sec. 16 T.22S. R.61E. M.D.B.M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about 1st January and end about 31st December, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 5 H.P. pump with 2-250 gallon holding tanks through pipes to each metered homesite
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

