

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 12 1980

Returned to applicant for correction

Corrected application filed

Map filed JUN 12 1980

The applicant Earl S. Evenson, Mary Evenson, Richard A. Etter and Nancy Etter
c/o Valley Bank of Nevada
P.O. Box 15427, of Las Vegas
Street and No. or P.O. Box No. City or Town
Nevada 89114
State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is from an underground source
Name of stream, lake or other source.

2. The amount of water applied for is 150 gpm = 0.3342 cfs. second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet N/A acre-feet

3. The water to be used for Quasi-Municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:
(a) Irrigation (state number of acres to be irrigated) N/A

(b) Stockwater (state number and kinds of animals to be watered) N/A

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:
(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point: located in the NE¼ SE¼ Section 17, Township 19 south, range 53 east, M.D.B. & M., from which the SE cor. of said
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
Section 17 bears So. 2° 24' 29" E. a distance of 2563.69 ft.
it should be stated.

6. Place of use NE¼ SE¼ Section 17, Township 19 south, range 53 east, M.D.B. & M., Nye
Describe by legal subdivision, if on unsurveyed land it should be so stated.
County, Nevada containing 40 acres more or less.

7. Use will begin about January 1st. and end about December 31st. of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" cased well, install submersible pump, pressure tank, valves and appurtenances.

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$20,000.00
- 10. Estimated time required to construct works..... 1 year
- 11. Estimated time required to complete the application to beneficial use..... 5 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water to be used for approximately 120 residences planned and the pertinent facilities common to community development.

s/Earl S. Evenson
Applicant... Earl S. Evenson et al

s/Russell Avery
By... Russell Avery, P.E.
AVERY ENGINEERING CONSULTANTS
DIVISION OF AVERY CORPORATION
1401 S. Maryland Parkway
Las Vegas, Nevada 89104

Compared... js/ja gk/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.3342 cubic feet per second, but not to exceed 43.8 million gallons annually.

- Actual construction work shall begin on or before..... July 23, 1981
- Proof of commencement of work shall be filed before..... August 23, 1981
- Work must be prosecuted with reasonable diligence and be completed on or before..... July 23, 1982
- Proof of completion of work shall be filed before..... August 23, 1982
- Application of water to beneficial use shall be made on or before..... July 23, 1985
- Proof of the application of water to beneficial use shall be filed on or before..... August 23, 1985
- Map in support of proof of beneficial use shall be filed on or before..... August 23, 1985

Commencement of work filed.....
Completion of work filed.....
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 23rd day of JANUARY

A.D. 1981
William J. Newman
State Engineer

Abrogated By 49545 0.3342 c.f.s.