

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 23 1980

Returned to applicant for correction

Corrected application filed

Map filed JUN 23 1980

The applicant Nevada Green c/o Boyack Surveying, Inc.

515 South Fifth Street, of Elko  
Street and No. or P.O. Box No. City or Town

Nevada 89801, hereby make application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Well No. 4  
Name of stream, lake or other source.

2. The amount of water applied for is 0.25 cfs (non-consumptive) second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for Commercial Use  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SE 1/4 NE 1/4 Section 21, T34N., R. 55E,

MDB&M., at a point from which the E 1/4 Corner of said Section 21 bears S 50° 30'

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
41" E 785.99 feet.


it should be stated.

6. Place of use A portion of the SE 1/4 NE 1/4 of Section 21, T34N, R55E, MDB&M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) Pipes and pumps will re-circulate waters

to Greenhouse  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.



- 9. Estimated cost of works..... \$10,000
- 10. Estimated time required to construct works..... 2 years
- 11. Estimated time required to complete the application to beneficial use..... 5 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This application is for non-consumptive use. The applicant will be using hot waters from this application to heat the waters from application #34647, then re-circulate the hot waters for (greenhouse)

Applicant Nevada Green

By s/Alan S. Boyack  
 Alan S. Boyack  
 515 South Fifth Street  
 Elko, Nevada 89801

Compared bc/ b1 bt/gk

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. If the well is flowing, a valve must be installed and maintained to prevent waste. Accurate measurements must be kept of water placed to beneficial use. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is to appropriate geothermal fluids only and all cold, fresh water aquifers are to be sealed off to prevent waste and contamination.

~~CANCELED APR 28 1992 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~

*[Signature]* STATE ENGINEER

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, but not to exceed 59 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before September 2, 1982

Proof of completion of work shall be filed before October 2, 1982

Application of water to beneficial use shall be made on or before September 2, 1985

Proof of the application of water to beneficial use shall be filed on or before October 2, 1985

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed  
 Completion of work filed OCT 20 1992  
 Proof of beneficial use filed  
 Cultural map filed  
 Certificate No. Issued

IN TESTIMONY WHEREOF, I PETER G. MORROS  
 State Engineer of Nevada, have hereunto set my hand and the seal of  
 my office, this 2nd day of SEPTEMBER

A.D. 19 81  
*[Signature]*  
 State Engineer