

CORRECTED PERMIT
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office. ~~JUL 22 1980~~ NEW PRIORITY DATE MAR 9 1987

Returned to applicant for correction JUL 24 1980

Corrected application filed AUG 14 1980 Map filed AUG 14 1980

The applicant County of Esmeralda

Esmeralda County Courthouse of Goldfield
Street and No. or P.O. Box No. City or Town

Nevada 89013 hereby make... application for permission to change the
State and Zip Code No.

Point of Diversion
Point of diversion, manner of use, and/or place of use

of water heretofore ~~appropriated~~ applied for under Application No. 36697
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is underground
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed no change from 1.12 second feet.
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for quasi municipal purposes for the town of Goldfield
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for quasi municipal purposes for the town of Goldfield
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point NE 1/4 NE 1/4, Section 10, T.1S., R.42E.,
Describe as being within a 40-acre subdivision of public survey and by course and
MDB&M or at point from which the SE corner of Section 15, T.1S., R.42E. M.D.B.&M.
distance to a section corner. If on unsurveyed land, it should be stated.
bears S6°33'20"E., 10,078.28 feet.

6. The existing permitted point of diversion is located within NE 1/4 NE 1/4 Section 10, T.1S., R.42E.,
If point of diversion is not changed, do not answer.
M.D.B.&M. or at a point from which the SE corner of Section 15, T.1S., R.42E.,
M.D.B.&M. bears S83°26'40" E., 10,078.28 feet, as shown on Application 36697.

7. Proposed place of use Lot 3 and the S 1/2 of the SW 1/4 of Section 35, T.2S., R.42E.,
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
and Lots 2, 3, 4, 5, 6, and 7 and the S 1/2 of the NW 1/4 and the E 1/2 of the SW 1/4, and
the W 1/2 of the SE 1/4 of Section 2, T.3S., R.42E., and the N 1/2 of the NW 1/4 and the
NW 1/4 of the NE 1/4 of Section 11, T.3S., R.42E., M.D.B.&M.

8. Existing place of use S 1/2 of the SW 1/4 and the SW 1/4 of the SE 1/4 of Sec. 35, T.2S., R.42E.,
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
and the NW 1/4 and the SW 1/4 and the SW 1/4 and the W 1/2 of the NE 1/4 and the W 1/2 of the
SE 1/4 of Sec. 2 and the N 1/2 of the NW 1/4 and the NW 1/4 of the NE 1/4 of Sec. 11, T.3S.,
R.42E., M.D.B.&M.
manner of use of irrigation permit, describe acreage to be removed from irrigation

9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Construct and equip one water well -
State manner in which water is to be diverted, i.e. diversion structure, ditches,
construct approximately 12 miles of water transmission main and booster pump
pipes and flumes, or drilled well, etc. stations.

12. Estimated cost of works \$950,000.00

13. Estimated time required to construct works 2 years.

14. Estimated time required to complete the application of water to beneficial use immediately

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The application is for additional water for domestic purposes for the town of Goldfield.

The Goldfield water system water supply has been declining through the years. This effort is to replace the lost capacity of their existing well.

By s/Roger D. Glidden
Roger D. Glidden
Esmeralda County Courthouse
Goldfield, NV 89013

Compared bt/bc bt/bc

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the Point of Diversion of the waters of an underground source as heretofore granted under Permit 36697 is issued subject to the terms and conditions imposed in said Permit 36697 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the Proof of Completion of Work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.12 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before November 10, 1982

Proof of completion of work shall be filed before December 10, 1982

Application of water to beneficial use shall be made on or before November 10, 1984

Proof of the application of water to beneficial use shall be filed on or before December 10, 1984

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed JAN 10 1983 IN TESTIMONY WHEREOF, I PETER G. MORROS,
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed JUL - 7 1988
my office, this 10th day of NOVEMBER

Cultural map filed
Certificate No. 13195 Issued JAN 8 1992 A.D. 1987
Peter G. Morros
State Engineer

2407 (Rev. 6-81)

~~NOTICE TO APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~ **FEB 11 1987** **CORRECTED PERMIT**
~~BECAUSE OF FAILURE~~

Peter G. Morros STATE ENGINEER
can recorded 4-24-87

AMENDED

Serial No. 41861

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 22 1980

Returned to applicant for correction JUL 24 1980

Corrected application filed AUG 14 1980 Map filed AUG 14 1980

The applicant County of Esmeralda

Esmeralda County Courthouse of Goldfield
Street and No. or P.O. Box No. City or Town

Nevada 89013 hereby make application for permission to change the
State and Zip Code No.

Point of Diversion
Point of diversion, manner of use, and/or place of use

of water heretofore applied for under Application No. 36697
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

- 1. The source of water is underground
2. The amount of water to be changed no change from 1.12 second feet.
3. The water to be used for quasi-municipal purposes for the town of Goldfield
4. The water heretofore permitted for quasi-municipal purposes for the town of Goldfield
5. The water is to be diverted at the following point NE 1/4 NE 1/4 Section 10, T1S, R42E, MDB&M or at point from which the SE corner of Section 15, T1S, R42E, MDB&M bears S60 33' 20" E, 10,078.28 feet.
6. The existing permitted point of diversion is located within NE 1/4 NE 1/4 Section 10, T1S, R42E, MDB&M or at a point from which the SE corner of Section 15, T1S, R42E, MDB&M bears S83 0 26' 40" E, 10,078.28 feet, as shown on application 36697.
7. Proposed place of use Lot 3 and the S 1/2 of the SW 1/4 of Section 35, T2S, R42E, and Lots 2, 3, 4, 5, 6, and 7 and the S 1/2 of the NW 1/4 and the E 1/2 of the SW 1/4 and the W 1/2 of the SE 1/4 of Section 2, T3S, R42E, and the N 1/2 of the NW 1/4 and the NW 1/4 of the NE 1/4 of Section 11, T3S, R42E, MDB&M.
8. Existing place of use S 1/2 of the SW 1/4 and the SW 1/4 of the SE 1/4 of Sec. 35, T2S, R42E, and the NW 1/4 and the SW 1/4 and the W 1/2 of the NE 1/4 and the W 1/2 of the SE 1/4 of Sec. 2 and the N 1/2 of the NW 1/4 and the NW 1/4 of the NE 1/4 of Sec. 11, T3S, R42E, MDB&M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Construct and equip one water well - construct approximately 12 miles of water transmission main and booster pump stations.
12. Estimated cost of works \$950,000.00
13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use...immediately.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The application is for additional water for domestic purposes for the town of Goldfield. The Goldfield water system water supply has been declining through the years. This effort is to replace the lost capacity of their existing well.

By s/Roger D. Glidden for Esmeralda County Courthouse Goldfield, NV 89013

Compared bt/bc.....bt/bc

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the Point of Diversion of the waters of an underground source as heretofore granted under Application 36697 is issued subject to the terms and conditions imposed in said Application 36697 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the Proof of Completion of Work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.12 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before November 10, 1982

Proof of completion of work shall be filed before December 10, 1982

Application of water to beneficial use shall be made on or before November 10, 1984

Proof of the application of water to beneficial use shall be filed on or before December 10, 1984

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed JAN 10 1983

IN TESTIMONY WHEREOF, I PETER G. MORROS, State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed.....

my office, this 10th day of NOVEMBER

Cultural map filed.....

A.D. 19 81

Certificate No. Issued.....

[Handwritten signature of Peter G. Morros]

State Engineer