

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 24 1980 New Priority Date DEC 8 1988 JUL 28 1994

Returned to applicant for correction

Corrected application filed

Map filed SEP 24 1980

The applicant Sandy Valley Associates 5720-L West Charleston Blvd. of Las Vegas, Nevada

Nevada 89102, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

(If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Lamar Wilson General Partner

1. The source of the proposed appropriation is Underground Name of stream, lake or other source.

2. The amount of water applied for is 0.89 cubic feet per second second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for quasi-municipal & domestic Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks") Yes

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: within NE 1/4 SE 1/4 Sec. 6 in Section 6, T.25S., R.57E., M.D.M., at a point from which the southeast corner of said Section 6 bears South 10° 58' 28" East a distance of 2532.09 feet.

6. Place of use Government Lot 9, the Northwest Quarter (NW 1/4) of the Southeast Quarter (SE 1/4), the Northeast Quarter (NE 1/4) of the Southeast Quarter (SE 1/4) and the Southeast Quarter (SE 1/4) of the Southeast Quarter (SE 1/4) of Section 6, T.25S., R.57E., M.D.M.

7. Use will begin about January 1st and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, holding tank and pressure tank. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works..... \$15,000.00
- 10. Estimated time required to construct works..... 60 days
- 11. Estimated time required to complete the application to beneficial use..... 2 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

90 mobile home estates, 52 ranch estates and 7 industrial lots.  
 Total subdivision consists of 158 acres. Phase one of development has well, which will serve as a back-up when this primary well is completed. 400 gallons per minute= 0.89 cfs

Applicant..... Sandy Valley Associates

By..... s/Robert J. McNutt  
 P. O. Box 539  
 Las Vegas, Nevada 89101

Compared.. ha/bl..... gk/bc

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A substantial weir or other type of measuring device must be installed and measurements of water use kept. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 31209 shall not exceed 29.5 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.89..... cubic feet per second, but not to exceed 29.5 million gallons annually.

- Actual construction work shall begin on or before..... N/A
- Proof of commencement of work shall be filed before..... N/A
- Work must be prosecuted with reasonable diligence and be completed on or before..... August 21, 1982
- Proof of completion of work shall be filed before..... September 21, 1982
- Application of water to beneficial use shall be made on or before..... August 21, 1985
- Proof of the application of water to beneficial use shall be filed on or before..... September 21, 1985
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....  
 Completion of work filed..... MAR 28 1983  
 Proof of beneficial use filed.....

IN TESTIMONY WHEREOF, I PETER G. MORROS  
 State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of AUGUST

A.D. 19 81

*Peter G. Morros*  
 State Engineer

CANCELLED  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
 BECAUSE OF FAILURE  
 46-61-01  
 JUL 01 1984  
 STATE ENGINEER

CANCELLED  
 Certificate No. NOV 29 1989  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
 BECAUSE OF FAILURE  
 218 (REV.)  
 STATE ENGINEER  
 Can cancelled 1-12-89