

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

FEB 18 1981

Date of filing in State Engineer's Office.....

Returned to applicant for correction APR 3 1981.....

Corrected application filed.....

Map filed.....

The applicant Jesse W. Teacher.....

6178 Oxon Hill Rd., Suite 200, of Oxon Hill  
Street and No. or P.O. Box No. City or Town

Maryland 20021, hereby make application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is Nugent Wash  
Name of stream, lake or other source.

2. The amount of water applied for is 5 (five) second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A acre-feet

3. The water to be used for Mining  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) N/A

(b) Stockwater (state number and kinds of animals to be watered) N/A

(c) Other use (describe fully under "No. 12. Remarks") Mining

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point: Unsurveyed Land

Due East from section corner 19, 25 and 30 in range 32E township  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

11 North a distance of 1,200 feet  
it should be stated.

6. Place of use On unsurveyed land - see attached map  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

Due North from section corner 29, 30, 31 & 32 in range 32E township

11 N a distance of 600 feet

7. Use will begin about April 1st and end about during the year, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) Drilled well with pump

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$2,000.00

10. Estimated time required to construct works 1 (one) week  
If well completed, describe works.

11. Estimated time required to complete the application to beneficial use 1 week

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water is to be used for mining purposes

By s/Jesse W. Teacher  
Signature, applicant or agent

Compared sb/kq 6178 Oxon Hill Road, Suite 200  
Oxon Hill, Maryland 20021

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use shall be filed on or before

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I

Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed my office, this day of

Cultural map filed

Certificate No. JUN 16 1981 A.D. 19

CANCELLED BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

218 (Rev. 9-80)

William J. Geoman STATE ENGINEER

State Engineer