

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 4 1981

Returned to applicant for correction

Corrected application filed Map filed MAY 4 1981

The applicant Paul W. and Nancy L. Rand

Post Office Box 857 of Reno
Street and No. or P.O. Box No. City or Town

Nevada 89504 hereby make... application for permission to change the
State and Zip Code No.

Place of Use of a portion
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit #35749
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is Underground
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 2.5 c.f.s.
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Irrigation and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Irrigation and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 24, T.12 N., R.25 E.,
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.
M.D.B.&M., or at a point from which the N $\frac{1}{2}$ Corner of said Section 24 bears
North 62 $^{\circ}$ 26' East, 2,663 feet.

6. The existing permitted point of diversion is located within no change
If point of diversion is not changed, do not answer.

7. Proposed place of use NE $\frac{1}{4}$ Section 14, portion of the W $\frac{1}{2}$ W $\frac{1}{2}$ Section 13, portion of
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
the NE $\frac{1}{4}$ and portion of the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 23, portion of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 24,
T.12 N., R.25 E., M.D.B. & M., as shown on the supporting map (378 acres)

8. Existing place of use NE $\frac{1}{4}$ Section 14, portion of the W $\frac{1}{2}$ W $\frac{1}{2}$ Section 13, portion of
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.
the NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 24, T.12 N., R.25 E., M.D.B. & M., as shown in the supporting
map (220 acres)

9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, motor and irrigation system
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works in excess of \$20,000.00

13. Estimated time required to construct works well is constructed

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water is to be comingled with other water rights to allow best possible water management.

By /s/ Bruce R. Scott
Bruce R. Scott, Resource Concepts, Inc.
340 North Minnesota Street
Carson City, Nevada 89701

Compared vjw/sg bt/bc

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the Place of Use of a Portion of the waters of an underground source as heretofore granted under Permit 35749 is issued subject to the terms and conditions imposed in said Permit 35749 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.5 cubic feet per second, but not to exceed an annual duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before January 8, 1983

Proof of completion of work shall be filed before February 8, 1983

Application of water to beneficial use shall be made on or before January 8, 1984

Proof of the application of water to beneficial use shall be filed on or before February 8, 1984

Map in support of proof of beneficial use shall be filed on or before February 8, 1984

Completion of work filed FEB 28 1983 IN TESTIMONY WHEREOF, I PETER G. MORROS,

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed..... my office, this 8th day of JULY,

Certificate No..... Issued A.D. 19 82

~~CANCELLED~~ MAR 14 1988 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

[Signature of Peter G. Morros]
State Engineer

[Signature of Peter G. Morros] STATE ENGINEER

Abrogated by 50576 1.7
50894 0.635