

No 43703

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 8 1981

Returned to applicant for correction

Corrected application filed

Map filed MAY 8 1981 under 43701

The applicant Martin and Sandra Arraiz 4550 So. Carson St. Carson City Nevada 89701

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is underground

2. The amount of water applied for is 0.5 cfs. second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Commercial purposes

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: in the NW 1/4 of the NW 1/4 of Sec. 28, T.19N., R.28E., M.D.B.&M. at a point from which the NW Corner of said Sec. 28 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. bears N. 61° 04' 03" W. a distance of 1296.5 feet.

6. Place of use a portion of the NW 1/4 of the NW 1/4 of Sec. 28, T.19N., R.28E., M.D.B.&M.

7. Use will begin about Jan. 1 and end about Dec 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 12" Well drilled to approximately 150 feet, pump and storage tank.

9. Estimated cost of works \$8000.00

10. Estimated time required to construct works..... 2 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

50 mobile home units and 15 R.V. pads

By s/William A. Rankin
711. W Telegraph St.
Carson City, NV. 89701

Compared 11/bc 11/bc

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

No perforations shall be put in the production casing from ground level to 100 feet.

The total combined duty of water under Permits 43701, 43702 and 43703 shall not exceed 7.118 million gallons annually.

Water to be used for 45 R.V. pads and 50 mobile home units.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed 0.5 cubic feet per second, but not to exceed

7.118 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before January 14, 1983

Proof of completion of work shall be filed before February 14, 1983

Application of water to beneficial use shall be made on or before January 14, 1985

Proof of the application of water to beneficial use shall be filed on or before February 14, 1985

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed FEB 29 1984

IN TESTIMONY WHEREOF, I, PETER G. MORROS, State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed

my office, this 2nd day of APRIL

Cultural map filed

A.D. 19 85

Certificate No. Issued

Peter G. Morros
State Engineer

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

MAY 8 1981

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAY 8 1981 under 43701.....

The applicant..... Martin and Sandra Arraiz.....

4550 So. Carson St., of Carson City,
Street and No. or P.O. Box No. City or Town

Nevada 89701, hereby make.... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.....

2. The amount of water applied for is 0.5 cfs. second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Commercial purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: in the NW¼ of the NW¼ of Sec. 28,
T.19N., R.28E., M.D.B.&M. at a point from which the NW Corner of said Sec. 28
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
bears N. 61° 04' 03" W. a distance of 1296.5 feet.
it should be stated.

6. Place of use a portion of the NW¼ of the NW¼ of Sec. 28, T.19N., R.28E., M.D.B.&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan 1 and end about Dec 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) 12" Well drilled to approximately 150
feet, pump and storage tank.
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works. \$8000.00

10. Estimated time required to construct works 2 years
If well completed, describe works.

11. Estimated time required to complete the application to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
 50 mobile home units and 15 R.V. pads

By s/William A. Rankin
Signature, applicant or agent

Compared bl/lp bt/bc 711. W Telegraph St.
 Carson City, NV. 89701

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

No perforations shall be put in the production casing from ground level to 100 feet.

The total combined duty of water under this permit and Permits 43701 and 43702 shall not exceed 6.022 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 5 cubic feet per second, but not to exceed 6.022 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before January 14, 1983

Proof of completion of work shall be filed before February 14, 1983

Application of water to beneficial use shall be made on or before January 14, 1985

Proof of the application of water to beneficial use shall be filed on or before February 14, 1985

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed
 Completion of work filed FEB 29 1984
 Proof of beneficial use filed APR 21 1988
 Cultural map filed
 Certificate No. 13550 Issued DEC 14 1992

IN TESTIMONY WHEREOF, I PETER G. MORROS
 State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 14th day of JANUARY

A.D. 1982

 State Engineer