

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 22 1981
Returned to applicant for correction SEP 8 1981
Corrected application filed SEP 14 1981
Map filed SEP 14 1981

The applicant City of Wells, Nevada
279 Clover Avenue, of Wells, Nevada
Street and No. or P.O. Box No. City or Town
Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

(If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Wells, Nevada raw sewage effluent
Name of stream, lake or other source.

2. The amount of water applied for is second-foot
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet 268.83 acre-feet

3. The water to be used for storage
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:
(a) Irrigation (state number of acres to be irrigated)
(b) Stockwater (state number and kinds of animals to be watered)
(c) Other use (describe fully under "No. 12. Remarks") storage
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SW1/4 of SE1/4, Section 32, T.38N., R.62E., M.D.B. & M. at a point which bears S.22°53'W. 4661 feet from the northeast corner of Section 32.
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use Storage
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about 1 January and end about 31 December, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) aerated lagoon sewage treatment plant consisting of two cells and two storage lagoons
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

- 9. Estimated cost of works..... \$1,000,000
- 10. Estimated time required to construct works..... 1 year  
If well completed, describe works.
- 11. Estimated time required to complete the application to beneficial use..... 10 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This is an application for a Primary Permit under N.R.S. 533.440. Permission to divert under Permit No. 27518 is hereby revoked.

Philip T. Marshall, W.R.S. #541  
Wells City Engineer  
c/o C.E.S., Inc.

By s/Philip T. Marshall

Signature, applicant or agent  
1475 Terminal Way, Suite C-2  
Reno, Nevada 89502

Compared bl/dh

ab/se

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This primary permit is issued under the authority of NRS 533.440 (Secondary Applications are required for the use of the appropriated effluent) and is only a temporary allowance and the quantity granted may exceed the effluent discharged. The final water right obtained will be dependent upon the amount of effluent actually placed to beneficial use under the secondary permits. A totalizing meter must be installed at the discharge near the point of diversion and accurate measurements must be kept of effluent discharged. Granting of this permit is not intended in any way to waive or affect authority or requirements of appropriate water quality control agencies or regulations. This permit is further issued subject to the provisions of NRS 533.395 and the State retains the right to regulate the use of water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 2.0 .....cubic feet per second, but not to exceed 268.83 acre-feet annually.

- Actual construction work shall begin on or before..... N/A
- Proof of commencement of work shall be filed before..... N/A
- Work must be prosecuted with reasonable diligence and be completed on or before..... May 21, 1994
- Proof of completion of work shall be filed before..... June 21, 1994
- Application of water to beneficial use shall be made on or before..... N/A
- Proof of the application of water to beneficial use shall be filed on or before..... N/A
- Map in support of proof of beneficial use shall be filed on or before..... N/A

Commencement of work filed.....  
Completion of work filed..... SEP 12 1994  
Proof of beneficial use filed.....  
Cultural map filed.....  
Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of May

A.D. 1993

*[Signature]*  
State Engineer