

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... JUL 22 1981  
 Returned to applicant for correction..... SEP 21 1981  
 Corrected application filed.....  
 Map filed..... JUL 30 1979 under 38709

The applicant..... County of Esmeralda  
Esmeralda County Courthouse....., of..... Goldfield  
Street and No. or P.O. Box No. City or Town  
Nevada 89013....., hereby make<sup>s</sup> application for permission to appropriate the public  
State and Zip Code No.  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... underground  
Name of stream, lake or other source.
2. The amount of water applied for is..... one..... second-foot  
One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet..... 0.2455..... acre-feet
3. The water to be used for..... Quasi-municipal for the town of Goldfield  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated).....
  - (b) Stockwater (state number and kinds of animals to be watered).....
  - (c) Other use (describe fully under "No. 12. Remarks")..... Quasi-municipal for the town of Goldfield
  - (d) Power:
    - (1) Horsepower developed.....
    - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: SE1/4 of the SE1/4 of Section 3,  
T 3 S, R 42 E, MDM or at a point that bears S 6° 24' 30" W a distance of  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.  
4,016.88 feet from the Northeast corner of said Section 3.
6. Place of use..... S1/2 of the SW1/4 and SW1/4 of the SE1/4 of Section 35, T 2 S, R 42 E  
Describe by legal subdivision, if on unsurveyed land it should be so stated.  
and the NW1/4 and SW1/4 and W1/2 of the NE1/4 and W1/2 of the SE1/4 of Section 2  
and the N1/2 of the Nw1/4 and NW1/4 of the NE1/4 of Section 11, T 3 S, R 42 E,  
MDM.
7. Use will begin about..... January 1st..... and end about..... December 31st....., of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... construct and equip one water well, construct  
approximately 12 miles of water transmission main and booster pump stations.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$950,000.00

10. Estimated time required to construct works 2 years  
If well completed, describe works.

11. Estimated time required to complete the application to beneficial use 2 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Application for permit is for additional water for domestic purposes for the town of Goldfield. The Goldfield water system, water supply has been declining through the years. This effort is to replace the lost capacity of their existing wells.

By s/ Joyce Haskew, AGENT  
Joyce Haskew, Agent for agent  
Haskew Engineering  
P.O. Box 956  
Fernley, NV 89408

Compared kc/js

b1/ja

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before December 17, 1984

Proof of completion of work shall be filed before January 17, 1985

Application of water to beneficial use shall be made on or before December 17, 1987

Proof of the application of water to beneficial use shall be filed on or before January 17, 1988

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I, PETER G. MORROS  
Completion of work filed FEB 03 1986 State Engineer of Nevada, have hereunto set my hand and the seal of  
Proof of beneficial use filed my office, this 17th day of DECEMBER  
Cultural map filed

CANCELLED Date No. JAN 27 1992 Issued BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Michael J. ... STATE ENGINEER

Signature of Peter G. Morros, State Engineer