

- 9. Estimated cost of works..... \$10,000
- 10. Estimated time required to construct works..... six months
If well completed, describe works.
- 11. Estimated time required to complete the application to beneficial use..... five years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

..... This is the same well as is Permit 24382, Certificate 7234. Water
 will be used for 60 mobil homes.

By s/Ross E. de Lipkau
Signature, applicant or agent
 Ross E. de Lipkau
 P. O. Box 2790
 Reno, Nevada 89505

Compared b1/bc js/bc

..... APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

The total combined duty of water under Permits 44248 and 44249 shall not exceed 6.57 million gallons annually.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.0 cubic feet per second, but not to exceed 6.57 million gallons annually.

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before..... May 1, 1987

Proof of completion of work shall be filed before..... June 1, 1987


Application of water to beneficial use shall be made on or before..... May 1, 1992

Proof of the application of water to beneficial use shall be filed on or before..... June 1, 1992

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....
 Completion of work filed..... JUN 11 1987
 Proof of beneficial use filed.....
 Cultural map filed.....
 Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, PETER G. MORROS
 State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 1st day of May

A.D. 1985.

 State Engineer