



10. Estimated time required to construct works..... 1 Year  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 2 Years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Request usage to 1200 Gallons per Day per Unit Residence.

By... s/Richard N. Brand  
5720 W. Charleston Suite "V"  
L.V. NV. 89102

Compared br/ja br/ja

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is issued to correct the names of this permit from Steven N. Greenhalgh and Mildred M. Greenhalgh to Steven N. Greenhalgh and Sydney B. Hudson.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00892 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 14, 1983.

Proof of completion of work shall be filed before October 14, 1983.

Application of water to beneficial use shall be made on or before September 14, 1985.

Proof of the application of water to beneficial use shall be filed on or before October 14, 1985.

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed..... my office, this 1st day of JUNE

Certificate No..... Issued..... A.D. 19 83

*[Signature of Peter G. Morros]*  
State Engineer

218 (Rev.) FEB 28 1990 CANCELLED BECAUSE OF FAILURE

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*[Signature]* STATE ENGINEER

AMENDED

Nº 44277

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... AUG 10 1981
Returned to applicant for correction... OCT 20 1981
Corrected application filed... DEC 1 1981
Map filed... DEC 9 0 1981

The applicant Steven N. Greenhalgh & Mildred M. Greenhalgh
6317 Fairwood, of Las Vegas, Nevada
Street and No. or P.O. Box No. City or Town
State and Zip Code No.
hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

- 1. The source of the proposed appropriation is Las Vegas Artesian Basin (underground)
2. The amount of water applied for is .00892 (.00223 per Unit) second-feet
3. The water to be used for Domestic and Quasi Municipal - 4 Homes
4. If use is for:
(a) Irrigation (state number of acres to be irrigated)
(b) Stockwater (state number and kinds of animals to be watered)
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SW 1/4, NW 1/4, NE 1/4, NE 1/4 Section 32 T19S R60E MDB&M or at a point from which the NE Cor of Section 32 bears N74°-43'-43"E 1459.36 feet distant.

6. Place of use... a portion of SW 1/4, NW 1/4, NE 1/4, NE 1/4 Section 32 T19SR60E MDB&M

7. Use will begin about 1 January and end about 31 December, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 600 Feet of 8" diam. well casing equipped with a 7.5 H.P. Electric Motor and a 500 Gal. Pressure Tank

9. Estimated cost of works \$15,000

10. Estimated time required to construct works 1 Year  
If well completed, describe works.

11. Estimated time required to complete the application to beneficial use 2 Years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  
 Request usage to 1200 Gallons per Day per Unit Residence.

By s/Richard N. Brand  
Signature, applicant or agent  
 5720 W. Charleston Suite 'V'  
 L.V. NV. 89102

Compared bl/cs bl/sg

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00892 cubic feet per second, but not to exceed 1.46 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before September 14, 1983

Proof of completion of work shall be filed before October 14, 1983

Application of water to beneficial use shall be made on or before September 14, 1985

Proof of the application of water to beneficial use shall be filed on or before October 14, 1985

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I, PETER G. MORROS  
 Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of  
 Proof of beneficial use filed my office, this 14th day of SEPTEMBER  
 Cultural map filed  
 Certificate No. Issued

SEP 19 1982  
  
 State Engineer