

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... OCT 20 1981

Returned to applicant for correction.....

Corrected application filed.....

Map filed... OCT 20 1981

The applicant Harry Harvey

1016 Garces Street, of Las Vegas, Nevada 89101

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground

2. The amount of water applied for is 0.46 CFS second-feet

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Commercial (Construction and Cooling Towers) and domestic

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:.....

(b) Stockwater, state number and kinds of animals to be watered:.....

(c) Other use (describe fully under "No. 12. Remarks" See Item 12

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: Within the NW 1/4 of Tract 38, T.17S., R.64E., MDB&M whence the SW Corner of Section 21, T.17S., R.64E., MDB&M bears survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. S.14°05'00"E. a distance of 3181'.

6. Place of use Within portions of Sections 18, 19, 30 and 31, T.17S., R.64E., MDB&M; Portions of Sections 13, 14, 23, 24, 25, 26, 35 and 36, T.17S., R.63E., MDB&M; Portions of Sections 1 and 2, T.18S., R.63E., MDB&M.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Proposed Well, Pump and Motor, buried pipe-lines to storage tanks and truck fill stands with valves.

9. Estimated cost of works \$280,000

10. Estimated time required to construct works 2 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years for full development

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Pursuant to the attached letter, the Nevada Power Company is considering committing itself to the purchase of 109.5 million gallons annually for construction and operation of the Harry Allen Generating Station proposed at Dry Lake, Nevada. Approximately 9.13 Million Gallons Annually of this total will be for domestic use.

By s/James T. Anspach
James T. Anspach, State Water Right Surveyor
c/o Boyle Engineering Corp., 1785 E. Sahara Ave.,
Las Vegas, Nevada 89104 Suite 300

Compared bl/bt br/bc

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.46 cubic feet per second, but not to exceed 100.37 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before January 3, 1985

Proof of completion of work shall be filed before February 3, 1985

Application of water to beneficial use shall be made on or before January 3, 1988

Proof of the application of water to beneficial use shall be filed on or before February 3, 1988

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I PETER G. MORROS,
State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed _____ my office, this 3rd day of MAY,
Cultural map filed _____

Certificate No. _____ Issued _____

A.D. 19 84

State Engineer

218 (Rev.)

Abrogated By SS672T Exp 2-5-92
Temp

Abrogated By SS674