

45094

Serial No. _____

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office DEC - 1 - 1991 New Priority Date: SEPT 25, 1995

Returned to applicant for correction _____

Corrected application filed _____ Map filed DEC 1 1991

The applicant Jack L. Bacon; Wm. H. Amesbury and Steven C. Amesbury

17205 Highway 395 North of Reno
Street and No. or P.O. Box No. City or Town

Nevada 89508
State and Zip Code No.

hereby make application for permission to change the
change Point of Diversion, Manner and Place of Use of a Portion
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit Number 26556
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is An Underground Source
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed Six Acre Feet - 0.067 cfs
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Commercial and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Irrigation and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point within the NE 1/4 of the SE 1/4 of Sec. 19, Twp. 21 N., Rge. 18 E., M.D.B.&M. from which point the East Quarter Corner of said distance to a section corner. If on unsurveyed land, it should be stated. Sec. 19 bears N 62°00' E, 238.0 feet.
Describe as being within a 40-acre subdivision of public survey and by course and

6. The existing permitted point of diversion is located within the SW 1/4 of the SE 1/4 of Sec. 29, Twp. 21 N., Rge. 18 E., M.D.B.&M. from which point the SE Corner of said Sec. 29 bears S 77°21' E a distance of 1726.0 feet
If point of diversion is not changed, do not answer.

7. Proposed place of use A portion of the NE 1/4 of the SE 1/4 of Sec. 19, Twp. 21 N., Rge. 18 E. and a portion of the NW 1/4 of the SW 1/4 of Section 20, Twp. 21 N., Rge. 18 E., M.D.B. & M.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

8. Existing place of use Portions of Lots 3 and 4 of the Northridge Subdivision, inside the SW 1/4 of the SE 1/4 and the SE 1/4 of the SE 1/4 of Sec. 29, Twp. 21 N., Rge. 18 E., M.D.B.&M. 1.5 acres to be stripped as per map
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a new water well, a pump and motor, a steel tank reservoir and a system of pipes
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works \$100,000.00

13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use..... 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

A service station, a small store, a cafe and bar and an overnight RV
campground of 15 to 20 units

By s/Keith N. Meador, Agent
1042 West Plumb Lane
Reno, Nevada 89509

Compared b1/CS..... ja/bc

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 26556, Certificate 8907, is issued subject to the terms and conditions imposed in said Permit 26556, Certificate 8907, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.067 cubic feet per second, but not to exceed 6.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before June 16, 1983

Proof of completion of work shall be filed before July 16, 1983

Application of water to beneficial use shall be made on or before June 16, 1986

Proof of the application of water to beneficial use shall be filed on or before July 16, 1986

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed JAN 30 1984 IN TESTIMONY WHEREOF, I, PETER G. MORROS

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of JUNE

Cultural map filed.....

Certificate No..... Issued.....

AUG 19 82
Peter G. Morros
State Engineer

59052 0.0145
Port. 65055 0.057

CANCELLED AUG 28 1995 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
[Signature]
STATE ENGINEER
can rescinded 11-9-95