№ ASSIGNED 45179

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 07 1982

Returned to applicant for correction

Corrected application filed

Map filed JAN 07 1982

The applicant Sal DiModica

3119 Hillview Drive (Street and No. or P.O. Box No.), of Henderson, Nevada 89015 (City or Town),

(State and Zip Code No.), hereby make.... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is Las Vegas Artesian Basin (underground)
   (Name of stream, lake, spring, underground or other source)

2. The amount of water applied for is .01784 (.00223 per home) second-feet
   (One second-foot equals 448.83 gals. per min.)
   (a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Domestic & Quasi-Municipal - 8 Homes
   (Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.)

4. If use is for:
   (a) Irrigation, state number of acres to be irrigated: N/A
   (b) Stockwater, state number and kinds of animals to be watered: N/A
   (c) Other use (describe fully under "No. 12. Remarks" See "No. 12 Remarks"
   (d) Power:
      (1) Horsepower developed
      (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: E½, NW¼, NW¼, NE¼ of Section 30
   (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.)
   T19S R60E, MDB&M or at a point from which the N¼ corner of said Section 30 bears N 87°-57'-34"W, 342.50 feet distant.

6. Place of use E½, NW¼, NW¼, NE¼ Section 30 T19S R60E, MDB&M, Clark County Nevada.
   (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)

7. Use will begin about 1 January (Month and Day) and end about 31 December (Month and Day), of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 500 feet of 8 inch casing with 7.5 H.P. Pump and 750 Gal Pressure Tank
   (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)

9. Estimated cost of works $15,000

10. Estimated time required to construct works 1 year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 2 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Request at least 1200 Gallons usage per day per residence.

By s/R N Brand #518
520 W. Charleston 'V'
Las Vegas, NV. 89102

Compared bc/ ja ja/bt

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01784 cubic feet per second, but not to exceed 2.92 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before August 5, 1983

Proof of completion of work shall be filed before September 5, 1983

Application of water to beneficial use shall be made on or before August 5, 1986

Proof of the application of water to beneficial use shall be filed on or before September 5, 1986

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed SEP 18 1985

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

IN TESTIMONY WHEREOF, I PETER G. MORROS, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 5th day of AUGUST, A.D. 19 82

State Engineer

218 (Rev.)