

AMENDED NO.45417 S-2
APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office _____ APR 8 1982 _____
Returned to applicant for correction _____ JUN 9 1982 _____
Corrected application filed _____ JUL 9 1982 _____
Map filed _____ JUL 9 1982 _____

The applicant **U.S. Trust Company of New York**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Effluent from Reno-Stead Sewage Treatment Plant. Primary Application Number 45417.**
2. The amount of water applied for is **1.5** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Commercial**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE¹/₄ NE¹/₄ Section 32, T21N, R19E, MDM, or at a point from which the East ¹/₄ corner of said Section 32 bears, S 80°39'42" E a distance of 1,150.4 feet**
6. Place of Use **E¹/₂, E¹/₂ W¹/₂ Section 5, T20N, R19E, MDM, SE¹/₄ Section 32, T21N, R19E, MDM**
7. Use will begin about **January 1** and end about **December 31**, of each year.
8. Description of proposed works **Additional treatment to effluent with storage facilities and pipeline network.**
9. Estimated cost of works **\$200,000**
10. Estimated time required to construct works **Two Years**
11. Estimated time required to complete the application of water to beneficial use **Ten Years**

12. Remarks: This is a secondary application to appropriate wastewater from the Reno-Stead Sewage Treatment Plant. Treated effluent will be used for fire protection, landscape irrigation and other commercial purposes. Estimated average consumptive use of 1500 gal per day per acre for the 640 acres.

By s/Richard W. Arden
Richard W. Arden, Agent
950 Industrial Way
Sparks, Nevada (89431)

Compared cl/cmf

Protested _____

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that its approval would violate NRS § 533.440(2) and thereby threaten to prove detrimental to the public interest.

Work must be prosecuted with reasonable diligence and be completed on or before: _____

Proof of completion of work shall be filed before: _____

Application of water to beneficial use shall be filed on or before: _____

Proof of the application of water to beneficial use shall be filed on or before: _____

Map in support of proof of beneficial use shall be filed on or before: _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 24th day of May, A.D. 2000

[Handwritten Signature]

State Engineer

WITHDRAWN BY APPLICANT

JUL 06 2007

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

[Handwritten Signature]

STATE ENGINEER