

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office..... MAR 9 1982

Returned to applicant for correction.....

Corrected application filed..... Map filed..... MAR 9 1982 under 45430

The applicant..... Michael and Patti Ann Kalafatic

P. O. Box 693 of East Ely  
Street and No. or P.O. Box No. City or Town

Nevada 89315 hereby make..... application for permission to change the  
State and Zip Code No.

Point Of Diversion and Place Of Use of a Portion of Permit No. 12715.  
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit No. 12715, Certificate No. 4252.  
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is..... Underground Sources  
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed..... 0.04 cfs  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for..... Irrigation and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for..... Irrigation and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point..... in the NW $\frac{1}{4}$  SE $\frac{1}{4}$  of Section 11, T.16N., R.63E.,  
Describe as being within a 40-acre subdivision of public survey and by course and  
M.D.B. & M., whence the South  $\frac{1}{4}$  Corner of said Section 11 bears S.37 $^{\circ}$ 27'50"W.,  
distance to a section corner. If on unsurveyed land, it should be stated.  
1820.61 feet distant.
6. The existing permitted point of diversion is located within..... NW $\frac{1}{4}$  NE $\frac{1}{4}$  of Section 14, T.16N., R.63E.,  
If point of diversion is not changed, do not answer.  
M.D.B. & M., whence the North  $\frac{1}{4}$  Corner of said Section 14 bears N.3 $^{\circ}$ 25'W., 310.0  
feet distant.
7. Proposed place of use..... Portions of SW $\frac{1}{4}$  SE $\frac{1}{4}$  of Section 11, T.16N., R.63E., M.D.B. & M.,  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
2.3 Acres.
8. Existing place of use..... Portions of the SE $\frac{1}{4}$  of Section 11; N $\frac{1}{2}$  NE $\frac{1}{4}$  of Section 14, T.16N.,  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
R.63E., M.D.B. & M., 97.8 Acres.  
manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from..... April 1st to November 1st of each year.  
Month and Day Month and Day
10. Use was permitted from..... April 1st to November 1st of each year.  
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... by Sprinkler System.  
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.
12. Estimated cost of works..... \$5,000.00
13. Estimated time required to construct works..... 3 years

14. Estimated time required to complete the application of water to beneficial use. 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

.....  
.....  
.....  
.....

By s/Richard W. Forman  
Richard W. Forman, Agent  
P O Box 150  
Ely NV 89301

Compared b1/js ja/br

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 12715, Certificate 4352, is issued subject to the terms and conditions imposed in said Permit 12715, Certificate 4352, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The period of use of this permit is limited from April 1 to November 1 of each year.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.018 cubic feet per second, but not to exceed a seasonal duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before September 14, 1984

Proof of completion of work shall be filed before October 14, 1984

Application of water to beneficial use shall be made on or before September 14, 1986

Proof of the application of water to beneficial use shall be filed on or before October 14, 1986

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed OCT 28 1985


Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I PETER G. MORROS,  
State Engineer of Nevada, have hereunto set my hand and the seal of  
my office, this 14th day of SEPTEMBER,

A.D. 19 83  
  
State Engineer

CANCELLED FEB - 4 1991 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
  
STATE ENGINEER