

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 25 1982

Returned to applicant for correction JUL 9 1982

Corrected application filed

Map filed MAR 27 1979 under 37226

The applicant Timothy Steverson

5109 Gainsmill St. of Las Vegas

Street and No. or P.O. Box No.

City or Town

Nevada 89122, hereby make application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground

Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .056 second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal (4 Homes)

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed 5 hp

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SW 1/4 of the SW 1/4 of the SE 1/4 of the

Describe as being within a 40-acre subdivision of public

NW 1/4 on Section 16 T.22S. R 61E. MDB&M. From the center section North 79° 08'

survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

45" West a distance of 1117.53' to the point of diversion

6. Place of use The SW 1/4 of the SW 1/4 of the SE 1/4 of the NW 1/4 of Section 16 Township 22

Describe by legal subdivision. If on unsurveyed land, it should be so stated.

South Range 61 East, MDB&M.

7. Use will begin about January 1 and end about December 31, of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and

specifications of your diversion or storage works.) 5 hp pump, 2 - 250 gallon holding tanks,

State manner in which water is to be diverted, i.e. diversion structure, ditches and

meter on each homesite. Tank at pump site

fumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$10,000.00

- 10. Estimated time required to construct works 30 days  
If well completed, describe works.
- 11. Estimated time required to complete the application of water to beneficial use (1) year
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  
4 (homes). Refer to map under 37226

Compared b1/js bc/b1  
 By s/Timothy W. Steverson  
Timothy W. Steverson  
5109 Gainsmill St.  
Las Vegas Nev 89122  
 Protested \_\_\_\_\_

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:


This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meyer must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.056 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before July 15, 1984  
 Proof of completion of work shall be filed before August 15, 1984  
 Application of water to beneficial use shall be made on or before July 15, 1987  
 Proof of the application of water to beneficial use shall be filed on or before August 15, 1987  
 Map in support of proof of beneficial use shall be filed on or before \_\_\_\_\_

Completion of work filed SEP 07 1984 IN TESTIMONY WHEREOF, I PETER G. MORROS  
 State Engineer of Nevada, have hereunto set my hand and the seal of  
 Proof of beneficial use filed \_\_\_\_\_ my office, this 15th day of JULY  
 Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_  
 A.D. 19. 83  
  
 State Engineer

CANCELLED NOV 5 1987 BECAUSE OF FAILURE  
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
  
 STATE ENGINEER