

ASSIGNED

No 45711

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 24 1982

Returned to applicant for correction

Corrected application filed

Map filed MAY 24 1982 under 45710

The applicant Melvin E. Hayes and Howard D. McKibben

2118 Hwy. 50 E. of Carson City

Street and No. or P.O. Box No.

City or Town

Nevada 89701 hereby make application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground (Well No. 2)

Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 1.0 second-foot

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal Purposes

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: in the NE 1/4 NW 1/4 of Section 9, Township 13 North, Range 20 East, M.D.B. & M., or at a point from which the NE 1/4 Corner

Describe as being within a 40-acre subdivision of public

survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

of Section 4, Township 13 North, Range 20 East M.D.B. & M., bears N 09° 47' 15" E, 5,744.2 feet.

6. Place of use NE 1/4 NW 1/4 of Section 9, Township 13 North, Range 20 East, M.D.B. & M.,

Describe by legal subdivision. If on unsurveyed land, it should be so stated.

Douglas County, Nevada.

7. Use will begin about January 1 and end about December 31, of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, pump and motor, storage tanks and

State manner in which water is to be diverted, i.e. diversion structure, ditches and

pipelines to various buildings.

fumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$30,000

10. Estimated time required to construct works..... one year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... five years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The property is zoned for manufacturing use and the applicants are planning to develop approximately 100 buildings on the property when fully "built out". It is estimated that each building will use about 2,000 gallons a day.

By s/B. J. Vasey
B.J. Vasey, PE, VASEY ENGINEERING CO., INC.
Post Office Box 1164
Minden, Nevada 89423

Compared..... br/ja br/ja

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 45710 shall not exceed 73.0 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed..... 1.0 cubic feet per second, but not to exceed 73.0 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... February 15, 1985

Proof of completion of work shall be filed before..... March 15, 1985

Application of water to beneficial use shall be made on or before..... February 15, 1988

Proof of the application of water to beneficial use shall be filed on or before..... March 15, 1988

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I..... PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this..... 15th day of..... FEBRUARY.....

A.D. 19..... 85.....

State Engineer