

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office NOV 10 1982

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed NOV 10 1982 under 46303

The applicant Central Nevada Utilities Company

Post Office Box 730 of Pahrump  
Street and No. or P.O. Box No. City or Town

Nevada 89041 hereby make <sup>S</sup> application for permission to change the  
State and Zip Code No.

Point of Diversion, Manner and Place of Use of a portion  
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit #26081  
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is Underground - Well 18  
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 1.81 c.f.s. (439.83 acre-feet)  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Municipal  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Quasi-municipal and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point SE 1/4 NW 1/4 Section 22, T.20 S., R.53 E.,  
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.  
North 49°36' West, a distance of 2,508.00 feet.

6. The existing permitted point of diversion is located within NE 1/4 SW 1/4 Section 22, T.20 S., R.53 E.,  
If point of diversion is not changed, do not answer.  
M.D.B. & M., or at a point from which the NW corner of said Section 22 bears  
North 39°30' West, a distance of 3,750 feet. (Well 16)

7. Proposed place of use See attached  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

8. Existing place of use See attached Exhibit "A"  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day

10. Use was permitted from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, pump and distribution system  
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works \$10,000.00

13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use 10 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Please use sheet 2 of map 45870 for the proposed Place of Use.

By s/Bruce R. Scott  
Bruce R. Scott, Resource Concepts, Inc.  
340 North Minnesota Street  
Carson City, Nevada 89701

Compared js/ kc dcb/br

Protested \_\_\_\_\_

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, manner of use and place of use of a portion of the waters of an underground source as heretofore granted under Permit 26081 is issued subject to the terms and conditions imposed in said Permit 26081 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and permits 38343, 46305, 46306, 46319, 46325, and 46332 shall not exceed 2225.6 acre-feet annually.

If the permit is cancelled, withdrawn, or the Proof of Beneficial Use is not completed, water will not revert back to the base permits, but will return to the source.

The total combined duty of water under permits 38343, 45870, 45892, 45893, 45894, 45896, 45897, 46115, 46116, 46117, 46118, 46119, 46120, 46121, 46303, 46304, 46305, 46306, 46307, 46308, 46309, 46310, 46311, 46312, 46313, 46314, 46315, 46316, 46317, 46318, 46319, 46320, 46321, 46322, 46323, 46324, 46325, 46326, 46327, 46328, 46329, 46330, 46331, 46332, 46826, 46827, 47074, 47141, and 47265 shall not exceed 17,713.05 acre-feet annually.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not

to exceed 1.81 cubic feet per second, but not to exceed 439.83 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before April 17, 1986

Proof of completion of work shall be filed before May 17, 1986

Application of water to beneficial use shall be made on or before April 17, 1986

Proof of the application of water to beneficial use shall be filed on or before May 17, 1986

Map in support of proof of beneficial use shall be filed on or before May 17, 1986

Completion of work filed \_\_\_\_\_ IN TESTIMONY WHEREOF, I PETER G. MORROS,

Proof of beneficial use filed \_\_\_\_\_ State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed \_\_\_\_\_ my office, this 17th day of APRIL,

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_ A.D. 19 84

*[Signature]*  
State Engineer

Proposed Place of Use

All of Sections 7, 8, 9, 10, 14, 15, 16, 17, 18, 21, 22, 23, 24, 26, 27, 28, 34, and the North half of Section 33, Township 19 South, Range 53 East; and

All of Sections 3, 10, 11, 14, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 32, 33, 34, 35, and 36, Township 20 South, Range 53 East; and

All of Sections 19, 30, 31, 32, and 33, Township 20 South, Range 54 East; M.D.B. & M., in the County of Nye, State of Nevada.

Central Nevada Utilities Company

Certified Public Service Commission Boundary

November 4, 1982




EXHIBIT "A"

All those certain pieces or parcels of land situated in the County of Nye, State of Nevada, that are described as follows:

TOWNSHIP 20 SOUTH, RANGE 53 EAST, M.D.B. & M.

Section 10: East half  
 Section 11: West half  
 Section 14: Northwest quarter; West half of the Northeast quarter; Southeast quarter and the East half of the Southwest Quarter.  
 Section 21: All  
 Section 22: All  
 Section 23: All  
 Section 24: South half  
 Section 25: All  
 Section 26: All  
 Section 27: All  
 Section 28: All  
 Section 29: All  
 Section 32: East half; East half of the Southwest quarter; North half of the Northwest quarter; Southeast Quarter of the Northwest quarter; East half of the Southwest quarter of the Southwest quarter of the Northwest quarter and the Southeast quarter of the Southwest quarter of the Northwest quarter  
 Section 34: All  
 Section 35: All  
 Section 36: All  
 Section 20: South half of the Southeast quarter

TOWNSHIP 20 SOUTH, RANGE 54 EAST, M.D.B. & M.

Section 30: All  
 Section 31: All  
 Section 32: Southwest quarter and the South half of the Southeast quarter  
 Section 33: South half of the South half  
 Section 34: Southwest quarter of the Southwest quarter


TOWNSHIP 21 SOUTH, RANGE 54 EAST, M.D.B. & M.

Section 3: North half of the Northwest quarter and the South half of the Southwest quarter

EXCEPTING THEREFROM an undivided one-half of the oil, gas, and other hydrocarbon substances and minerals.

ALSO EXCEPTING from the hereinabove described parcels of land the following described portions thereof:

PARCEL 1: Those portions of Sections 10 and 11 in Township 20 South, Range 53 East, M.D.B. & M., described as follows:



Beginning at the Southeast corner of said Section 10; thence North  $89^{\circ}51'09''$  West along the South line of said Section 10 a distance of 489.71 feet to a point; thence North  $0^{\circ}03'14''$  West a distance of 1618.28 feet to a point; thence South  $89^{\circ}56'46''$  West a distance of 330.00 feet to a point; thence North  $0^{\circ}03'14''$  West a distance of 330.00 feet to a point; thence North  $89^{\circ}56'46''$  East a distance of 758.61 feet to a point; thence South  $15^{\circ}32'01''$  East a distance of 1452.70 feet to a point; thence North  $89^{\circ}56'46''$  East a distance of 155.65 feet to a point; thence South  $15^{\circ}32'01''$  East along the West line of State Highway Route 16 a distance of 570.70 feet to a point on the South line of said Section 11; thence South  $89^{\circ}56'46''$  West a distance of 634.59 feet to the point of beginning.

PARCEL 2: That portion of the Southwest quarter of Section 11, Township 20 South, Range 53 East, M.D.B. & M., described as follows:

Beginning at the South quarter corner of said Section 11; thence North  $0^{\circ}25'24''$  West along the East line of the Southwest Quarter of said Section 11 a distance of 1885.24 feet to a point; thence South  $74^{\circ}27'59''$  West a distance of 2297.12 feet to a point on the East R/W line of State Highway No. 16; thence South  $15^{\circ}32'01''$  East along the East R/W line of said State Highway No. 16 a distance of 1320.00 feet to a point on the South line of the Southwest quarter of said Section 11; thence North  $89^{\circ}56'45''$  East along the South line of the Southwest quarter of said Section 11 a distance of 1873.64 feet to the point of beginning.

PARCEL 3: That portion of Section 14, Township 20 South, Range 53 East, M.D.B. & M., described as follows:

Commencing at the Southeast corner of said Section 14, Township 20 South, Range 53 East; thence North  $52^{\circ}11'20''$  West a distance of 2397.46 feet to a point; thence North  $51^{\circ}20'21''$  West a distance of 75 feet to Corner No. 1, the true point of beginning; thence North  $38^{\circ}39'39''$  East, 1100 feet to Corner No. 2; thence North  $51^{\circ}20'21''$  West, 1600 feet to Corner No. 3; thence South  $38^{\circ}39'39''$  West, 1100 feet to Corner No. 4; thence South  $51^{\circ}20'21''$  East, 1600 feet to Corner No. 1, the true point of beginning.

PARCEL 4: That portion of the South half of the Northwest quarter of Section 14, Township 20 South, Range 53 East, M.D.B. & M., described as follows:

Beginning at the West quarter corner of said Section 14; thence South  $89^{\circ}58'21''$  East along the South line of the Northwest quarter of said Section 14 a distance of 1537.48 feet to a point; thence from a tangent whose bearing is North  $46^{\circ}45'28''$  West turning to the right along a curve having a radius of 2725.00 feet and subtending a central angle of  $18^{\circ}31'26''$  an arc length of 891.98 feet to a point; thence North  $89^{\circ}58'21''$  West a distance of 1026.62 feet to a point; thence South  $1^{\circ}54'10''$  East along the West line of the Northwest Quarter of said Section 14 a distance of 696.15 feet to the point of beginning.



PARCEL 5: That portion of the East half of the Southwest quarter of Section 14, Township 20 South, Range 53 East, M.D.B. & M., described as follows:

Commencing at the Northwest corner of the Southwest quarter of said Section 14; thence South  $89^{\circ}52'$  East along the North line of Raycraft Subdivision a distance of 1270.00 feet to a point; thence South  $0^{\circ}26'$  East along the West line of East Street a distance of 1470.00 feet to the Northeast corner of Lot 4 in Block H of said Raycraft Subdivision; thence continuing South  $0^{\circ}26'$  East a distance of 120.00 feet to a point; thence North  $89^{\circ}34'$  East a distance of 502.00 feet to the true point of beginning; thence continuing North  $89^{\circ}34'$  East a distance of 290.00 feet to a point; thence North  $0^{\circ}26'$  West a distance of 450.00 feet to a point; thence South  $89^{\circ}34'$  West a distance of 290.00 feet to a point; thence South  $0^{\circ}26'$  East a distance of 450.00 feet to the true point of beginning.

PARCEL 6: That portion of Section 24, Township 20 South, Range 53 East, M.D.B. & M., described as follows:

Commencing at the East quarter corner of said Section 24; thence South  $88^{\circ}59'25''$  West along the East-West center of Section line a distance of 2047.99 feet to the true point of beginning; thence continuing South  $88^{\circ}59'25''$  West along said center of section line a distance of 604.14 feet to a point; thence South  $02^{\circ}10'50''$  West a distance of 43.55 feet to a point; thence South  $88^{\circ}03'07''$  West a distance of 181.99 feet to a point; thence South  $89^{\circ}58'03''$  West a distance of 388.08 feet to a point; thence South  $39^{\circ}44'01''$  East a distance of 580.46 feet to a point; thence North  $88^{\circ}03'07''$  East a distance of 786.79 feet to a point; thence North  $2^{\circ}10'50''$  East a distance of 500.56 feet to the true point of beginning.

