

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 15 1982
Returned to applicant for correction JAN 12 1983
Corrected application filed JAN 20 1983
Map filed FEB 9 1983 under 46350

The applicant Silver King Mines, Inc.
P. O. Box 324, of East Ely, Nevada 89315
hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Incorporated in the State of Nevada in 1961.

1. The source of the proposed appropriation is Underground Sources
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.1 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi - Municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: in the NW 1/4 NW 1/4 of Section 14, T.14 N., R.63 E., M.D.B. & M., whence the Southwest Corner of said Section 14 bears S.10°25'04" W., 5,031.78 feet distant.

6. Place of use SW 1/4 of Section 11, NW 1/4 of Section 14, T.14 N., R.63 E., M.D.B. & M.

7. Use will begin about January 1st and end about December 31st, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) The water will be diverted through a pipeline to a storage tank at the proposed office and mill site.

9. Estimated cost of works \$20,000.00

10. Estimated time required to construct works 3 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This water will be used for drinking water, fire fighting and other miscellaneous uses to service the an office and a shower house at proposed mill site. The applicant plans on using 14,400 gallons per day, 365 days per year for a total annual consumption of 5,256,000 gallons.

By s/Richard W. Forman
Richard W. Forman Agent
P. O. Box 150 Ely, Nevada 89301

Compared bc/ b1 bc/b1

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

No perforations shall be put in the production casing from ground level to 100 feet.

The total combined duty of water under this permit and Permits 32698 and 46350 shall not exceed 122.16 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 5.26 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before July 21, 1984

Proof of completion of work shall be filed before August 21, 1984

Application of water to beneficial use shall be made on or before July 21, 1885

Proof of the application of water to beneficial use shall be filed on or before August 21, 1985

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed MAY 30 1984 IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of JULY

Cultural map filed A.D. 19 83

Certificate No. Issued [Signature]

[Signature]
State Engineer